

Neanderthals are not the only species whose dentition is characterized by the possession of thin enamel

January 18 2023



Three of the seven premolars belonging to Homo antecessor analyzed in this study. Credit: Laura Martín-Francés

The Dental Anthropology Group of the Centro Nacional de Investigación sobre la Evolución Humana (CENIEH) has participated in a paper published in the *American Journal of Biological Anthropology* on the dental remains of Homo antecessor, the species recovered from level TD6 of the Gran Dolina site (Atapuerca, Burgos), which reveals new

aspects of the biology of this species.

The results of this study, led by the researcher Laura Martín-Francés (UCM-ISCIH and CENIEH), suggest that, although the Neanderthals continue to be the only species whose dentition is characterized by the possession of thin enamel, this trait was already present in the genus *Homo* in the European Early Pleistocene, around 900,000 years ago.

Until recently, it was thought that the Neanderthals were the sole representatives of the genus *Homo* to possess thin enamel. Nevertheless, new analyses, which were mainly conducted on the dental remains from the TD6 level at Gran Dolina, have shown that the thin enamel pattern appeared earlier than the Neanderthals.

"Due to its phylogenetic position and its relationship to both Neanderthals and [modern humans](#), the *H. antecessor* collection represents a unique opportunity to find out when this thin enamel trait appeared in our genus," says Martín-Francés.

Thin and thick enamel

In this study, the enamel thickness pattern and its distribution (which zones present a thinner or thicker layer) in the crown were characterized in seven premolars belonging to two *H. antecessor* individuals (TD6-H1 and TD6-H3), and this was compared with other species in the [fossil record](#) and modern humans from several sites in Europe, China and Africa.

By using micro-computed tomography (mCT) and [high-resolution images](#) from the CENIEH's Microscopy and Micro-Computed Tomography Laboratory, the authors verified the presence of different patterns in the two individuals studied. While the individual TD6-H1 has thin enamel, with a clear affinity to the Neanderthal characteristic,

TD6-H3 shows a thick-enamel pattern similar to the majority of fossil species and modern humans.

"Among the possible causes that could justify the presence of distinct [enamel](#) patterns in these individuals from the same species, we believe that the most plausible is variability within the same population," adds Martín-Francés.

More information: Laura Martín-Francés et al, Crown tissue proportions and enamel thickness distribution in early Pleistocene Homo antecessor maxillary premolars (Atapuerca, Spain), *American Journal of Biological Anthropology* (2022). [DOI: 10.1002/ajpa.24679](https://doi.org/10.1002/ajpa.24679)

Provided by CENIEH

Citation: Neanderthals are not the only species whose dentition is characterized by the possession of thin enamel (2023, January 18) retrieved 26 April 2024 from <https://phys.org/news/2023-01-neanderthals-species-dentition-characterized-thin.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.