

## **Rapid scale-up of CO2 removal crucial for climate goals**

January 19 2023, by Marlowe HOOD



Carbon-removing technologies, such as the direct air capture offered by Climeworks (pictured) have moved to the forefront of climate discussions.

Capping global warming at liveable levels will be impossible without massively scaling up the extraction of planet-warming carbon dioxide



from the atmosphere, the first global assessment of  $CO_2$  removal warned Thursday.

The persistent failure to draw down greenhouse gas emissions—nearly 60 billion tons a year of  $CO_2$  or its equivalent—has forced oncemarginal carbon dioxide removal (CDR) options toward center stage in <u>climate policy</u>, investment and research.

Across methods ranging from tree planting to factory-sized machines that suck  $CO_2$  from the air and store it underground, CDR worldwide currently captures two billion tons of the gas each year, according to the State of Carbon Dioxide Report.

More than 99 percent is extracted through "conventional" techniques such as restoring and expanding  $CO_2$ -absorbing forests and wetlands.

Only a tiny fraction—about 0.1 percent—is removed by "novel" technologies such as direct air capture, converting organic waste into rock-like biochar, or capturing the  $CO_2$  from plants grown and burned for fuel, more than two dozen experts concluded.

The UN's <u>climate science</u> advisory body, the IPCC, has said <u>carbon</u> <u>emissions</u> must decline some 45 percent compared to 2020 levels by the end of this decade, and to net zero by mid-century, if Paris Agreement goals are to be met.

The 2015 treaty enjoins nations to hold warming to "well below" two degrees Celsius compared to preindustrial levels. The IPCC later concluded that only the agreement's aspirational 1.5C target could prevent severe, and potentially catastrophic, climate impacts.

"Regardless of whether we do a little or a lot of carbon dioxide removal, we will still have to do massive reductions in <u>greenhouse gas emissions</u>,"



report co-author Gregory Nemet, a professor at the University of Wisconsin–Madison, told AFP.

But  $CO_2$  emissions in 2022 remained at near-record levels, thrusting CDR into an even more critical role.

By the end of the century, the report calculates for the first time, CDR must extract between 450 billion and 1.1 trillion tons of  $CO_2$ .

The new report says that conventional, tree-planting CDR—even if emissions do drop sharply—must double by 2050 to keep the 1.5C target in play, and increase by 50 percent to hold warming under 2C.

## Scaling up massively

Research, however, has shown that food, energy and climate needs could result in competition for land, even with efficiency gains in each sector.





Conventional, tree-planting carbon dioxide removal must double by 2050 to keep the 1.5C target in play, and increase by 50 percent to keep warming under 2C.

A deeply changing climate with only 1.2C of warming to date could also limit potential.

"If warming continues—and all signs say it will—then it will be even harder to maintain current levels of conventional CDR because they will be affected by droughts, storms, pests and other impacts," said co-author Oliver Geden, a senior fellow at the German Institute for International and Security Affairs and an IPCC lead author.

That means novel CDR methods have to pick up the slack.



To keep warming under 2C, deployment of these nascent technologies must be ramped up 30-fold by 2030, and by more than 1,000-fold by 2100, according to the report, led by the University of Oxford.

The 1.5C target would require scaling up even faster.

"Many policymakers don't know—and probably don't want to know—how much keeping the 1.5 C narrative alive actually depends on carbon dioxide removal," Geden told AFP.

One novel CDR technology has attracted more attention—and money—than any other, even if it has barely put a dent in global emissions: direct air capture combined with carbon storage (DACCS).

Three quarters of the \$200 million (185 million euros) invested in new CDR capacity from 2020 to 2022 went to direct air capture—a big chunk of it to Switzerland-based Climeworks. The firm announced last week the world's first certified  $CO_2$  removal and storage on behalf of paying clients, including Microsoft and software service company Stripe.

"All this investment is based on the assumption that <u>direct air capture</u> can grow from about 10,000 tons today to a billion tons by 2050"—a 100,000-fold increase, said Nemet.

That rate of growth is not necessarily out of reach, he said.

In earlier research, Nemet compiled a database of 135 technologies that emerged over the last century, looking at how quickly they scaled up.

The growth rate for solar panels has been about 30 percent a year over 30 years, he found.

"Direct air capture needs to be more than 40 percent for the next 30



years," he said. "It's a huge challenge, but it's not unprecedented."

## More information: <a href="http://www.stateofcdr.org">www.stateofcdr.org</a>

## © 2023 AFP

Citation: Rapid scale-up of CO2 removal crucial for climate goals (2023, January 19) retrieved 11 July 2024 from <u>https://phys.org/news/2023-01-rapid-scale-up-co2-crucial-climate.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.