


# Vast iceberg breaks off near UK Antarctic base

January 24 2023

---



Credit: Contains modified Copernicus Sentinel data (2021–23), processed by ESA, [CC BY-SA 3.0 IGO](https://creativecommons.org/licenses/by-sa/3.0/)

Satellite imagery confirms an enormous iceberg, around five times the size of Malta, has finally calved from Antarctica's Brunt Ice Shelf. The new berg, estimated to be around 1550 sq km and around 150 m thick, calved when the crack known as Chasm-1 fully extended northwards

severing the west part of the ice shelf.


This crack was first revealed to be extending in early 2012 after having been dormant for some decades. After several years of desperately clinging on, image data from the Copernicus Sentinel missions visually confirm the calving event.

The timing of the calving event, although unexpected, had long been anticipated. Glaciologists have monitored the many cracks and chasms that have formed in the thick Brunt Ice Shelf, which borders the Coats Land coast in the Weddell Sea sector of Antarctica, for years. It was only a matter of time that Chasm 1, which had been dormant for decades, would meet with the Halloween Crack, first spotted on Halloween 2016.

The new iceberg is anticipated to be named A-81 with the smaller piece to the north likely identified as either A-81A or A-82. Icebergs are traditionally identified by a capital letter indicating the Antarctic quadrant in which they were originally sighted, followed by a sequential number, then, if the iceberg breaks into smaller pieces, a sequential letter suffix.

The split was first reported by the British Antarctic Survey (BAS) as having occurred on 22 January between 19:00 and 20:00 UTC during a spring tide. BAS's Halley VI Research Station, where glaciologists have been monitoring the behavior of the ice shelf, has remained unaffected by the calving event.

The research station was relocated in 2017 to a more secure location after the ice shelf was deemed unsafe. The station is currently around 20 km from the line of rupture and there are currently 21 staff working on the station to maintain power supplies and facilities that keep the scientific experiences operating throughout winter.



Credit: European Space Agency


ESA's Mark Drinkwater said, "After several years of iceberg calving watch, the long-awaited separation of the Brunt iceberg A-81 has finally taken place. The northward propagation of Chasm 1 and timely decision for BAS to move the Halley Base to safer ground have been accompanied by what has been perhaps the most detailed and longest duration scrutiny of events leading to natural calving from an Antarctic ice shelf."

"Thanks to Copernicus, coupled with in-situ and airborne measurements made by the British Antarctic Survey, the safety of the Halley Base has been preserved. Meanwhile the combination of summer images from Sentinel-2 and availability of year-round and winter monitoring by Sentinel-1 radar placed the pattern of strain and propagation of an ice

shelf fracture under the worldwide public microscope."

Dominic Hodgson, BAS glaciologist, added, "This calving event has been expected and is part of the natural behavior of the Brunt Ice Shelf. It is not linked to climate change. Our science and operational teams continue to monitor the ice shelf in real-time to ensure it is safe, and to maintain the delivery of the science we undertake at Halley."

Routine monitoring from satellites offers unparalleled views of events happening in remote regions and show how ice shelves are actively responding to changes in ice dynamics, air and ocean temperatures. In February 2021, another giant berg, around 1270 sq km, broke off from the northern section of Brunt. Spotted by Sentinel-1 imagery, it has already drifted away from the Brunt Ice Shelf into the Weddell Sea.



Before and after. Credit: Brunt Ice Shelf

## **So, what happens now?**

The calving of ice bergs from an ice shelf has been observed to be followed by adjustment in the flow of ice into the ice shelf. If Brunt now experiences an acceleration, it could influence the behavior of other cracks in the area.

Mark explained, "The calving of iceberg A74, and latest separation, now focuses attention back onto the Halloween crack—whose extension could contribute to further destabilization of the Brunt Ice Shelf."

"A typical accompaniment to such strain release events and removal of pinning of an ice shelf front by bottom features such as McDonald Bank which forms the McDonald Ice Rumples may be an acceleration in the velocity of ice flowing into the ice shelf. We will be using the capabilities of the Copernicus Sentinels to closely monitor the behavior and stability of the remaining Brunt Ice Shelf."

Provided by European Space Agency

Citation: Vast iceberg breaks off near UK Antarctic base (2023, January 24) retrieved 23 June 2024 from <https://phys.org/news/2023-01-vast-iceberg-uk-antarctic-base.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.