

## Virus plus microplastics equal double whammy for fish health

January 23 2023



When exposed to the virus only (blue particles in left-hand panel), the barrier formed by the intact lining of the gill and gut may block some virus from penetrating the tissues. When exposed to small microparticles derived from polystyrene or Spartina marsh grass (orange "suns" in center panel) and then virus, the barrier may be physically damaged, allowing more virus to enter and causing an inflammatory response. Damage appeared to be greatest for nylon microfibers (purple rods in right panel), which are larger and may be more likely



to become trapped in and damage the barrier. This may allow greater viral entry and generate stress in the fish, ultimately increasing viral virulence. Illustration not to scale. Credit: Dr. Meredith Evans Seeley/VIMS

Microplastics—tiny particles generated as plastics weather and fragment—pose a growing threat to ecosystem and human health. A new laboratory study shows these threats extend beyond direct physical or chemical impacts, revealing that the presence of microplastics increases the severity of an important viral fish disease.

The lead author on the study, published in *Science of the Total Environment*, is Dr. Meredith Evans Seeley, who conducted the research as part of her Ph.D. program at William & Mary's Virginia Institute of Marine Science. Joining her as co-authors were VIMS professors Rob Hale, Andrew Wargo, and Wolfgang Vogelbein; W&M professor Patty Zwollo; and VIMS laboratory technician Gaelan Verry.

"Microplastics and pathogens are everywhere," says Seeley, "but they're often present at highest concentrations in densely populated <u>aquatic</u> <u>environments</u> such as fish farms. We wanted to explore if microplastics could affect the severity of IHNV infections in aquaculture." IHNV is a virulent pathogen in salmonid aquaculture, affecting members of the salmon family including rainbow trout, steelhead trout, chinook salmon, and sockeye salmon.

The team wanted to determine whether a "cause-and-effect" might occur between microplastics, virus, and fish mortality. Seeley and colleagues thus exposed aquarium-kept <u>rainbow trout</u> to low, medium, and high concentrations of three different types of <u>microparticles</u>, and then added the IHN virus to half the tanks.



They chose plastics that are both widely used in aquaculture and commonly found as breakdown products in nature: <u>polystyrene foam</u> (often in floats, buoys, home insulation, and food containers); and nylon fibers (lost from fishing nets, fishing lines, and clothing). They also exposed infected and healthy fish to tiny fragments of the common saltmarsh cordgrass (Spartina alterniflora). Control tanks held no virus or microparticles.

Their results? "We found that co-exposure to microplastics and virus increased disease severity," says Seeley, "with nylon fibers having the greatest impact. This is the first time this interaction has been documented, and emphasizes the importance of testing multiple stressors, which is more environmentally realistic."

Dr. Rob Hale, an environmental chemist and Seeley's doctoral advisor at VIMS, agrees. "Our results," he says, "show we must consider toxicity of microplastics not just alone but in combination with other environmental stressors."

Dr. Andrew Wargo, an expert in the ecology of infectious diseases, notes that IHNV is a worldwide issue. "It originated in the Pacific Northwest, where it continues to cause major problems for both salmonid aquaculture and conservation. Our study shows there is an interaction between microplastics and IHNV. What we don't know yet is how this interaction is playing out in aquaculture or wild environments, which will ultimately depend on the amount of plastic pollution and IHNV in any given area."

## Not all microparticles are created equal

Based on their laboratory results, the researchers suspect that exposure to microparticles increases disease severity by physically damaging the delicate tissues of the <u>gills</u> and <u>gut lining</u>, thus making it easier for the



virus to colonize its host.

Exposure to synthetic microplastics—nylon and polystyrene—had greater impact than natural microparticles derived from Spartina. Most impactful was exposure to the nylon-derived microfibers. The researchers suspect this may be due to their larger size, extended length, or the greater hardness of the plastic compared to plant matter.

"Nylon microfibers are larger and may be more likely to become trapped in and damage the delicate tissues of the gills and gut lining," says Seeley. "That could make it easier for the <u>virus</u> to enter and <u>stress</u> the host, ultimately increasing disease virulence."

## **Broader implications**

The team's work has major implications beyond fish farming. "Our research question is very relevant in aquaculture," says Seeley, "but it's applicable to natural environments as well. Microplastics are distributed worldwide, so at any given time they may be co-occurring with a variety of natural pathogens."

"Disease and microplastics may interact to produce worse outcomes across a range of aquatic and terrestrial systems," says Hale, "including in wild fishes, corals, and birds. If you just test microplastics alone you might not see any impacts and call it a day, but in the real world those microplastics may interact with pathogens, rising temperatures, decreasing pH, increasing water turbidity, and other variables."

Seeley says the team's results may be relevant to human health as well. "Indoor environments are dense with microplastics—in household dust for example," she says. "This makes us wonder how indoor <u>microplastic</u> contaminants may affect the progression of airborne diseases such as COVID-19."



**More information:** Meredith Evans Seeley et al, Microplastics exacerbate virus-mediated mortality in fish, *Science of The Total Environment* (2022). DOI: 10.1016/j.scitotenv.2022.161191

## Provided by Virginia Institute of Marine Science

Citation: Virus plus microplastics equal double whammy for fish health (2023, January 23) retrieved 28 June 2024 from <u>https://phys.org/news/2023-01-virus-microplastics-equal-whammy-fish.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.