


Why do black holes twinkle? Study examines 5,000 star-eating behemoths to find out

February 3 2023, by Christian Wolf



The glowing accretion disk around the black hole Sagittarius A*, at the center of the Milky Way, was imaged in 2022. Credit: EHT Collaboration

Black holes are bizarre things, even by the standards of astronomers. Their mass is so great, it bends space around them so tightly that nothing can escape, even light itself.

And yet, despite their famous blackness, some [black holes](#) are quite visible. The gas and stars these galactic vacuums devour are sucked into a glowing disk before their one-way trip into the hole, and these disks can shine more brightly than entire galaxies.

Stranger still, these black holes twinkle. The brightness of the glowing disks can fluctuate from day to day, and nobody is entirely sure why.

We piggy-backed on NASA's asteroid defense effort to watch more than 5,000 of the fastest-growing black holes in the sky for five years, in an attempt to understand why this twinkling occurs. In a new paper in *Nature Astronomy*, we report our answer: a kind of turbulence driven by friction and intense gravitational and magnetic fields.

Gigantic star-eaters

We study [supermassive black holes](#), the kind that sit at the centers of galaxies and are as massive as millions or billions of suns.

Our own galaxy, the Milky Way, has one of these giants at its center, with a mass of about four million suns. For the most part, the 200 billion or so stars that make up the rest of the galaxy (including our sun) happily orbit around the black hole at the center.

However, things are not so peaceful in all galaxies. When pairs of galaxies pull on each other via gravity, many stars may end up tugged too close to their galaxy's black hole. This ends badly for the stars: they are

torn apart and devoured.

We are confident this must have happened in galaxies with black holes that weigh as much as a billion suns, because we can't imagine how else they could have grown so large. It may also have happened in the Milky Way in the past.

Black holes can also feed in a slower, more gentle way: by sucking in clouds of gas blown out by geriatric stars known as red giants.

Feeding time

In our new study, we looked closely at the feeding process among the 5,000 fastest-growing black holes in the universe.

In earlier studies, we discovered the black holes with the most voracious appetite. Last year, we found a black hole that eats [an Earth's-worth of stuff every second](#). In 2018, we found one that eats [a whole sun every 48 hours](#).

But we have lots of questions about their actual feeding behavior. We know material on its way into the hole spirals into a glowing "accretion disk" that can be bright enough to outshine entire [galaxies](#). These visibly feeding black holes are called quasars.

Most of these black holes are a long, long way away—much too far for us to see any detail of the disk. We have some images of accretion disks around nearby black holes, but they are merely breathing in some cosmic gas rather than feasting on stars.

Five years of flickering black holes

In [our new work](#), we used data from NASA's ATLAS telescope in Hawaii. It scans the entire sky every night (weather permitting), monitoring for asteroids approaching Earth from the outer darkness.

These whole-sky scans also happen to provide a nightly record of the glow of hungry black holes, deep in the background. Our team put together a five-year movie of each of those black holes, showing the day-to-day changes in brightness caused by the bubbling and boiling glowing maelstrom of the accretion disk.

The twinkling of these black holes can tell us something about accretion disks.

In 1998, astrophysicists Steven Balbus and John Hawley proposed a theory of "[magneto-rotational instabilities](#)" that describes how magnetic fields can cause turbulence in the disks. If that is the right idea, then the disks should sizzle in regular patterns. They would twinkle in random patterns that unfold as the disks orbit. Larger disks orbit more slowly with a slow twinkle, while tighter and faster orbits in smaller disks twinkle more rapidly.

But would the disks in the [real world](#) prove this simple, without any further complexities? (Whether "simple" is the right word for turbulence in an ultra-dense, out-of-control environment embedded in intense gravitational and magnetic fields where space itself is bent to breaking point is perhaps a separate question.)

Using [statistical methods](#) we measured how much the light emitted from our 5,000 disks flickered over time. The pattern of flickering in each one looked somewhat different.

But when we sorted them by size, brightness and color, we began to see intriguing patterns. We were able to determine the orbital speed of each

disk—and once you set your clock to run at the disk's speed, all the flickering patterns started to look the same.

This universal behavior is indeed predicted by the theory of "magneto-rotational instabilities".

That was comforting! It means these mind-boggling maelstroms are "simple" after all.

And it opens new possibilities. We think the remaining subtle differences between accretion disks occur because we are looking at them from different orientations.

The next step is to examine these subtle differences more closely and see whether they hold clues to discern a black hole's orientation. Eventually, our future measurements of black holes could be even more accurate.

More information: Ji-Jia Tang et al, Universality in the random walk structure function of luminous quasi-stellar objects, *Nature Astronomy* (2023). [DOI: 10.1038/s41550-022-01885-8](https://doi.org/10.1038/s41550-022-01885-8)

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Why do black holes twinkle? Study examines 5,000 star-eating behemoths to find out (2023, February 3) retrieved 29 April 2024 from <https://phys.org/news/2023-02-black-holes-twinkle-star-eating-behemoths.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.