


Why El Niño doesn't mean certain drought

February 28 2023, by Abraham Gibson and Danielle Verdon-Kidd



Recent root-zone soil moisture levels are average to above average across most of Australia. Credit: Bureau of Meteorology

The Bureau of Meteorology released its latest [climate driver update](#) on Tuesday, saying the current La Niña has weakened and is "likely near its end." Most climate models now point to neutral conditions—neither El

Niño nor La Niña—through autumn and a trend towards El Niño in early spring.

But it's too early to say if a [return to El Niño](#) is imminent. Nor can we say Australia is about to swing back into drought, as many people fear, after [three years of heavy rain](#) associated with consecutive La Niñas.

Putting aside the [uncertainties in long-range forecasts](#) of El Niño, there are other factors that will determine whether Australia returns to drought.

Drought prediction is complex

[El Niño](#) is, of course, a well-known [contributor to drought events](#). But a number of diverse climate drivers affecting different regions should be included in these discussions.

The other two most frequently mentioned drivers are the [Indian Ocean Dipole](#) and [Southern Annular Mode](#). These, along with the [Sub-tropical Ridge](#), fluctuations of the [Madden-Julian Oscillation](#) and local weather systems, can make dry periods worse or provide rainfall relief.

Drought prediction is also complex due to the nature of drought itself. Drought is a [creeping disaster](#). Its build-up is slow and predicting drought requires accurate long-range rainfall forecasts.

However, the range of drivers contributing to rainfall over seasons makes accurate forecasting in Australia challenging.

What is a drought?


Drought is simply a [shortage of water to meet demand](#). But this

definition has an underlying complexity: demand changes depending on who requires the water. As a result, we have different types of droughts depending on the type of water shortage.

Drought begins with a [lack of rain and snowfall](#). This is known as meteorological drought. When these deficiencies are sustained, evaporation demand leads to decreases in soil moisture and river flow into dams. As we continue to consume water and plants use up moisture, these storages decline even further without rain to refill them.

When we reach critical levels of dams and [soil moisture](#) we have [hydrological](#) and [agricultural](#) drought. A long hydrological or agricultural drought then leads to devastating impacts on the [environment](#), [economy](#) and [society](#).

This evolution of drought is known as [propagation](#). It usually takes months or seasons. During this time, we've most likely passed from the influence of one climate driver to another.



The weak El Niño in 1976–1977 brought above-average rainfall for eastern Australia. Credit: Bureau of Meteorology

What causes a drought?

Our understanding of drought took off from studies focusing on the impacts and causes of the [Millennium Drought](#) between 1997 and 2010.

At first, [El Niño was identified as a major player in this period](#), suppressing autumn rainfall in south-eastern Australia. Over time, the significant effects of the [Indian Ocean Dipole](#) and [Southern Annular Mode](#) were identified as adding to the extreme dry conditions.

All three climate modes acted in concert to sustain and prolong the Millennium Drought over a vast area.

Looking over our entire climate records reveals that drought impacts vary through [space and time](#). Behind this variability is the different roles of the drivers in causing long dry periods.

The contribution of a given driver to drought is also different for different areas of Australia. For example, [our research](#) shows the various drivers can explain 75% of the rainfall deficit during drought onset for areas across southern Australia, but only 30% for the subtropics and tropics.

Will we be in drought in 2023?

A return to El Niño could trigger a drought for some regions of Australia. However, our catchments are displaying [wet to slightly drier than average conditions](#) and our dams are generally [full](#). We would need significant drying for a [severe drought](#) such as [2017–2019 or 1982–1983](#) to take hold.

During 1976–1977, a weak El Niño developed [alongside a neutral Indian Ocean Dipole](#). This followed a [triple-dip La Niña](#) similar to the one we have just been through. After the El Niño developed, the resulting spring and summer rainfall was [above average](#) for much of eastern Australia.

This shows not all El Niño events equate to drying if the right conditions align. Even the most recent El Niño in 2018–19 had [mixed impacts](#) on Australian rainfall.

It is also important to remember that drought depends on who requires water and when.

[Flash droughts](#) consist of a series of dry weeks and high temperatures. We are still learning about their relationship with the larger climate drivers and if we can predict them. But flash droughts can devastate agriculture if they happen at the wrong time.

The [scars of 2017–2019](#), which culminated in the Black Summer bushfires, are still fresh in the minds of many who may see El Niño as an unwelcome visitor. However, the complexity of our [climate](#) system and the creeping nature of drought are major challenges to forecasting drought months in advance.

As a result, it is hard to simply equate a projected El Niño to impending [drought](#).

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Why El Niño doesn't mean certain drought (2023, February 28) retrieved 26 April 2024 from <https://phys.org/news/2023-02-el-nio-doesnt-drought.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--