


Study: The faster El Niño decays, the fewer typhoons occur the following summer

February 15 2023

EL NIÑO CLIMATE IMPACTS

June-August



Impacts of El Niño events on the global climate in summer (June–August).
Credit: World Meteorological Organization

As the largest climate signal on the interannual time scale, El Niño has pronounced impacts on typhoon activity. Recently, a growing number of studies have been focusing on the climatic effects of the pace of El Niño decay and the remarkable role this plays in the genesis position and

intensity variations of typhoons. However, the response of the frequency of typhoon occurrence to the pace of El Niño decay remains unclear.

In a paper recently published in *Atmospheric and Oceanic Science Letters*, Dr. Qun Zhou and Dr. Lixin Wei from the National Marine Environmental Forecasting Center, attempt to address this issue. They present new evidence for variation in the pace of El Niño decay having a significant influence on the [typhoon](#) frequency in the summer following the mature winter of El Niño.

"Firstly, we classified El Niño cases into two categories: fast decaying [FD] and slow decaying [SD]. Interestingly, the typhoon occurrence frequency decreased sharply in the following summer only for FD El Niño cases. In order to explore the possible reason for this observed typhoon response, we further compared the [environmental factors](#) for typhoon development and the related atmospheric circulation processes between the FD and SD El Niño years," explains Dr. Zhou.

Compared with those for SD El Niño years, fewer typhoons occurred in the following summer for FD El Niño years, and the causal mechanism was a stronger anticyclonic anomaly over the western North Pacific forced by tropical Indo-Pacific sea surface temperature (SST) anomalies. Therefore, the pace of El Niño decay might serve as an important factor in the prediction of typhoon activity.

"However, the question of how these distinct patterns of tropical SST anomalies establish under FD and SD El Niño conditions needs to be studied in future work from the perspective of ocean dynamics," adds Dr. Zhou.

More information: Qun Zhou et al, Influence of the pace of El Niño decay on tropical cyclone frequency over the western north pacific during decaying El Niño summers, *Atmospheric and Oceanic Science*

Letters (2023). [DOI: 10.1016/j.aosl.2023.100328](https://doi.org/10.1016/j.aosl.2023.100328)

Provided by Chinese Academy of Sciences

Citation: Study: The faster El Niño decays, the fewer typhoons occur the following summer (2023, February 15) retrieved 23 June 2024 from <https://phys.org/news/2023-02-faster-el-nio-decays-typhoons.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.