


New knowledge about ice sheet movement can shed light on when sea levels will rise

February 21 2023



The four different movement patterns (clusters) that the ice on the edge of the ice sheet has over the course of a year, based on satellite measurements from 2016 onwards. Some areas of ice move faster as meltwater increases, while others move more slowly. This is related to whether meltwater has an easy or tough time escaping from beneath the ice. Cluster 1 shows an inefficient drainage system that is poor at diverting water away because the pressure at the bottom rises and reduces friction between ice and bottom, causing the ice to move faster into the ocean. Cluster 2 shows an efficient drainage system, where the speed of the ice can decrease in the middle of the melting season, when there is the most meltwater, as the drainage system suddenly becomes effective.

Credit: University of Copenhagen

The trawling of thousands of satellite measurements using artificial intelligence has shown researchers from the Geological Survey of Denmark and Greenland and University of Copenhagen that meltwater in tunnels beneath Greenland's ice sheet causes it to change speed, and in some places, accelerate greatly towards the ocean. This can increase melting, especially in a warming climate, which is why the study's researchers think that it is important to keep an eye on.

The Greenland ice sheet is enormous, making up nearly half of all fresh water in the northern hemisphere. But rising temperatures on Earth are causing it to melt—and the world's oceans to rise. As such, the ice sheet's movements are closely monitored.

Using extensive [satellite measurements](#), researchers from the Geological Survey of Denmark and Greenland (GEUS) and University of Copenhagen's Niels Bohr Institute have conducted a study that shows how movements of the ice sheet appear to be closely linked with [meltwater](#) flow beneath the ice.

Using [artificial intelligence](#), the researchers analyzed ice movements that they can now divide into four categories based on movement patterns. According to the researchers behind the study, this information has been missing from our understanding of why the velocity of ice at the same site can change over time, which is an important piece of knowledge for making more precise climate models for, among other things, sea level rise.


"With the help of large amounts of satellite data and artificial intelligence, we can identify and map general seasonal fluctuations over large parts of the ice sheet's edge. Not just for one year, but for fluctuations over a number of years as well. Thus, our study provides an indirect look at processes beneath the ice and the connection with meltwater on a large scale. This connection is very important to

understand in relation to the [warming climate](#) of the future, in which the amount of meltwater will increase," explains Anne Munck Solgaard, Senior Researcher at GEUS and lead author of the study, now published in *Geophysical Research Letters*.

Tunnels beneath the ice

As meltwater from the surface reaches the bottom of the ice, it flows primarily towards the edge of the ice sheet through melted channels. The researchers have found that the design of these channels, also known as subglacial drainage pathways, affects the movement of the ice above.

If the channels, which act as a kind of drainage system, are poor at diverting water away, the pressure at the bottom rises and reduces friction between ice and bottom. This in turn causes the ice to move faster towards the ocean. And vice versa, if the drainage system is effective, the ice moves more slowly.



Thus, the researchers have been able to see where on the ice sheet ice moves, in one way or another, throughout the year. In doing so, they can gain insight into what is happening beneath the ice and keep an eye on how it changes from year to year. Credit: University of Copenhagen

According to Anne Munck Solgaard, the drainage system is not a fixed array of pipes or channels of a specific size, but rather, pathways that develop during the melt season. They do this because, while meltwater can melt drainage systems larger, the ice flow works to close systems. As such, the drainage system can alternate between being efficient and inefficient.

"This results in four variations in the velocity of ice that we've discovered at various locations across the ice sheet. For example, the velocity can slow in the middle of the melting season, when meltwater is plentiful, because the drainage system suddenly becomes efficient. Or the system remains inefficient and under high pressure. So, the velocity accords with the amount of meltwater," says the Senior Researcher.

Thus, the researchers have been able to see where on the ice sheet ice moves, in one way or another, throughout the year. In doing so, they can gain insight into what is happening beneath the ice and keep an eye on how it changes from year to year.

"Our results provide a better understanding of how the ice sheet reacts to [warmer temperatures](#) and more meltwater, which can help us develop future climate models," explains Dina Rapp, Ph.D. student and co-author of the study.

Huge amounts of data demand artificial intelligence

The researchers used artificial intelligence to detect and separate movement patterns in many thousands of measurements, which very quickly become unmanageable for human analysis. According to Professor Christine Hvidberg of the Niels Bohr Institute, the study's co-author, intelligent computing power is becoming increasingly necessary.

"In recent years, the amount of freely available satellite data has exploded. It comes from ESA's Sentinel satellites and America's Landsat. The data allows us to map the speed of ice in high resolution, both temporally and spatially. It's great, but it also makes it completely impossible to gain a complete overview of the ice's movements and patterns by manually looking through time series. Here, artificial intelligence and heaps of computing power help us see previously undiscovered patterns and connections," she says.

More information: A. M. Solgaard et al, Seasonal Patterns of Greenland Ice Velocity From Sentinel-1 SAR Data Linked to Runoff, *Geophysical Research Letters* (2022). [DOI: 10.1029/2022GL100343](https://doi.org/10.1029/2022GL100343)

Provided by University of Copenhagen

Citation: New knowledge about ice sheet movement can shed light on when sea levels will rise (2023, February 21) retrieved 26 June 2024 from <https://phys.org/news/2023-02-knowledge-ice-sheet-movement-sea.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.