

# Oldest fossil record of larval neuropterans found in Inner Mongolia

February 15 2023, by Bob Yirka

---



Ecological reconstruction of *Palaeoneurorthus bairdii* gen. et sp. nov. (by Bai Bingyang). The colors are artistic only. Credit: *Proceedings of the Royal Society B: Biological Sciences* (2023). DOI: 10.1098/rspb.2022.2500

A team of paleontologists at the Shenzhen Campus of Sun Yat-sen University, working with a colleague from the State Key Laboratory of Cellular Stress Biology, both in China, has identified the oldest known fossil record of larval neuropterans.

In their paper, published in the journal *Proceedings of the Royal Society B*, the group describes the [fossil](#), a giant dragon lacewing larvae unearthed at the dig site Daohugou Beds, in Inner Mongolia, China.

Lacewings are a type of insect with large, clear wings—some have wingspans of up to 65 mm. They live mostly in North America and Europe. Prior research has shown they used to populate large parts of Asia as well. They are currently classified as the oldest neuropterans, going back approximately 165 million years. In this new effort, the research team has identified what they believe to be the oldest found thus far

During a dig, an excavator known as Bai Bingyang found what the research team describes as the fossilized larval form of a lacewing insect. It was discovered in a layer of compressed tuffaceous siltstone along with other ancient insects. The fossil specimen differs from other lacewings—it has a long neck in addition to a large body—a size that suggested the larvae was quite successful at catching and eating prey.

Such insects, the researchers note, are known for their stylets, which are head protuberances that were used to stab and kill prey. In the fossil sample, the stylet was set atop an elongated cervix (neck), giving it a giraffe-like look. At 41.2 millimeters in length, the neck would have been long enough to allow the larvae to hide behind relatively tall plants or other objects as it peeked over the top, searching for unsuspecting prey.

In [modern times](#), lacewings live in areas around [mountain streams](#) among

moist left litter—the larvae live in the streams. Study of the [fossil specimen](#) uncovered in this new effort suggests that the larvae lived at the bottom of a shallow lake. The team has named the new species *Palaeoneurorthus bairdii*.

**More information:** Xuheng Du et al, Giant Jurassic dragon lacewing larvae with lacustrine palaeoecology represent the oldest fossil record of larval neuropterans, *Proceedings of the Royal Society B: Biological Sciences* (2023). [DOI: 10.1098/rspb.2022.2500](https://doi.org/10.1098/rspb.2022.2500)

© 2023 Science X Network

Citation: Oldest fossil record of larval neuropterans found in Inner Mongolia (2023, February 15) retrieved 18 June 2024 from <https://phys.org/news/2023-02-oldest-fossil-larval-neuropterans-mongolia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.