


African trypanosomes mapped for the first time to understand evolution and potential treatments

March 24 2023



The subcellular protein atlas of *Trypanosoma brucei*. a, The position of *T. brucei* in a simplified phylogeny of eukaryotic life, redrawn from Burki et al.100. The human and yeast icons are used throughout to indicate when a protein has an orthologue in these species. TSAR, Telenemia, Stramenopiles, Alveolata and Rhizaria. b, The structure of the *T. brucei* cell. Each labeled organelle/structure is distinguishable by light microscopy. Further structures associated with cell

division are also distinguishable. Organelles unique to, or with notable elaborations in, the *T. brucei* lineage are shown in bold. c, Number of proteins annotated with each annotation term, giving a representation of the relative complexity of each *T. brucei* organelle. Transparent circles represent grouping of annotation terms in an ontology hierarchy. This organelle color key is used throughout all figures. d, Examples of previously uncharacterized proteins localizing to different organelles either unique to or with notable elaborations in the *T. brucei* lineage, representative of the quality of microscopy data. *T. brucei* TREU927 gene IDs (minus the Tb927. prefix) are shown in the top left and the terminus of endogenous tagging in the bottom left. Credit: *Nature Microbiology* (2023). DOI: 10.1038/s41564-022-01295-6

A parasite which has devastating impacts on agriculture and human health is the first pathogen to have its proteins located and mapped within its cells—providing clues to their function and helping to identify potential drug targets.

African trypanosomes are [parasites](#) transmitted by [tsetse flies](#) that cause sleeping sickness in humans (presenting as fever, anemia and, in serious cases, death) and a similar disease called nagana in cattle. These parasites have made large areas of Africa unsuitable for [livestock production](#), costing rural farmers up to ~3.7 billion pounds each year in lost revenue.

For the first time ever, scientists have developed a detailed "[protein atlas](#)" of a pathogen—a kind of biological map that locates proteins in cells. They conducted the research on *Trypanosoma brucei* (*T. brucei*), helping to understand where proteins are within its cells, providing functional insights that may ultimately help treat parasite infections.

The benefits of this ground-breaking research by the Universities of Warwick, Oxford and Oxford Brookes do not stop there. In mapping the

proteins within *T. brucei*, scientists now understand more about its evolutionary cell biology. Like humans, *T. brucei* are eukaryotes—meaning their cells have a nucleus. However, *T. brucei* evolved in a very divergent way to human cells. Exploring protein mapping sheds light on how it evolved to be so different.

Samuel Dean, Assistant Professor of parasitology at the University of Warwick, said, "In this study, we genetically modified trypanosome parasites to make proteins attached to a green fluorescent dye. This helped to show exactly where its proteins are within the cell. Using this information, we are able to understand more about what these proteins might be doing. Up until now 50% of the proteins in *T. brucei* had unknown functions.

"This has significant impacts on our understanding of pathogen evolution and provides functional clues for thousands of otherwise uncharacterized proteins. This will help further investigations and may help to inform on new treatments for these terrible diseases."

Professor Keith Matthews, expert in parasite biology at the University of Edinburgh, added, "This important resource will be of immense long-term value to researchers focused on these devastating pathogens, but also helps to understand the protein function and evolution of all nucleated cells, including our own."

University of Ghana senior lecturer, Theresa Manful Gwira, who is Head of Research Training at the West African Centre for Cell Biology of Infectious Pathogens, added, "This is a very important work, and a powerful resource that will be useful to many researchers including African scientists that work on the devastating African trypanosomiasis, thus contributing to a better understanding of the parasite biology."

The research is published in the journal *Nature Microbiology*.

More information: Karen Billington et al, Genome-wide subcellular protein map for the flagellate parasite *Trypanosoma brucei*, *Nature Microbiology* (2023). [DOI: 10.1038/s41564-022-01295-6](https://doi.org/10.1038/s41564-022-01295-6)

Provided by University of Warwick

Citation: African trypanosomes mapped for the first time to understand evolution and potential treatments (2023, March 24) retrieved 24 April 2024 from <https://phys.org/news/2023-03-african-trypanosomes-evolution-potential-treatments.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.