


Nanowires in carbon nanotubes have huge solar energy applications

March 28 2023



Encapsulated single-unit-cell wide $\text{Cs}_3\text{Pb}^{\text{II}}\text{Br}_5$ halide perovskite structure derived from CsPbBr_3 . a) HAADF image of Cs_xPbBr_5 nanowire imaged inside a ≈ 1.4 nm SWCNT, walls indicated by arrows. Enlarged detail with 15 pixel wide regions indicated (I-X). b,c) Profiles I, III, V, VII, and IX from $\text{Cs}_x\text{-Br-Cs}_{x'}$ ($x, x' = 1$ or 2) layers and II, IV, VI, and VIII from $\text{Br-PbBr}_2\text{-Br}$ layers. Alternating Cs_2 columns in $\text{Cs}_x\text{-Br-Cs}_{x'}$ layers indicated by black asterisks with one excess Cs_2 column (red asterisk) indicated. d) DFT optimized $[\text{Cs}_4\text{PbBr}_5]^+$ nanowire (100% Cs occupancy) in a (10,10) SWCNT viewed end-on and side-on with the ABX_3 unit cell overlaid. e) DFT optimized $\text{Cs}_3\text{Pb}^{\text{II}}\text{Br}_5$ nanowire (75% Cs occupancy) formed by removing one-fourth of Cs atoms. This lowest energy form (Figure S3a-c, Supporting Information) has alternating Cs_2 columns and systematic PbBr_6 octahedral tilting. f,g) TDS STEM simulations of optimized

$[\text{Cs}_4\text{Pb}^{\text{II}}\text{Br}_5]^+$ and $\text{Cs}_3\text{Pb}^{\text{II}}\text{Br}_5$ structures. h,l) Simulated line profiles through $\text{Cs}_x\text{-Br-Cs}_x$ and $\text{Br-PbBr}_2\text{-Br}$ layers as indicated in (f) and (g). Credit: *Advanced Materials* (2022). DOI: 10.1002/adma.202208575

Tiny materials one hundred thousand times smaller than the width of a strand of hair could be used to improve solar cell technology.

A study published this month in *Advanced Materials* shows that materials as small as 1.2 nanometers across could function in [solar cells](#), which harvest energy from the sun. The inorganic halide materials are templated within carbon nanotubes, tiny tubules formed from carbon atoms.

The discovery of such small nanowires could potentially lead to new properties and applications of this type of sustainable energy.

Researchers from the University of Warwick, Oxford Materials and SuperSTEM, a U.K. national center for [electron microscopy](#), revealed the absolute minimum limit at which halide perovskite-like structures can be produced as free-standing materials inside [carbon nanotube](#). Halide perovskites have similar structures to calcium titanate and are commonly used in solar panels and light emitting diodes (LEDs).

Dr. Jeremy Sloan, from Warwick's Department of Physics said, "In contrast to large 'bulk' halide perovskites, we show that much smaller 'picoscale' halide perovskite structures just a single unit cell or even just one quarter of a unit cell in [cross section](#) can be encapsulated in carbon nanotubes ranging between 1.2–1.6nm in diameter.

"Our study shows remarkably similar results to [a publication](#) in *Journal of the American Chemical Society (JACS)* by researchers at the University

of Berkeley, further highlighting the potential applications of these tiny materials in solar cells.

"The wider implications of these studies will help to extend the remarkable optoelectronic characteristics of halide perovskites to sub-nanometer, or even picoscale dimensions."

More information: Reza J. Kashtiban et al, Picoperovskites: The Smallest Conceivable Isolated Halide Perovskite Structures Formed within Carbon Nanotubes, *Advanced Materials* (2022). [DOI: 10.1002/adma.202208575](https://doi.org/10.1002/adma.202208575)

Provided by University of Warwick

Citation: Nanowires in carbon nanotubes have huge solar energy applications (2023, March 28) retrieved 18 April 2024 from <https://phys.org/news/2023-03-nanowires-carbon-nanotubes-huge-solar.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.