

# World's first microneedle-based drug delivery technique for plants

March 14 2023

---




Illustration of a silk microneedle array on a dime coin. Credit: Singapore-MIT Alliance for Research and Technology (SMART)

Researchers from the Disruptive & Sustainable Technologies for Agricultural Precision (DiSTAP) Interdisciplinary Research Group (IRG) of Singapore-MIT Alliance for Research and Technology (SMART), MIT's research enterprise in Singapore, and their collaborators from Temasek Life Sciences Laboratory (TLL) and Massachusetts Institute of Technology (MIT), have developed the first-ever microneedle-based drug delivery technique for plants.

The method can be used to precisely deliver controlled amounts of agrochemicals to specific plant tissues for research purposes. When applied in the field, it could be used in precision agriculture to improve crop quality and disease management.

Increasing [environmental conditions](#) caused by [climate change](#), an ever-growing human population, scarcity of arable land, and limited resources are pressuring the agriculture industry to adopt more sustainable and precise practices that foster more efficient use of resources (e.g., water, fertilizers, and pesticides) and mitigation of environmental impacts. Developing delivery systems that efficiently deploy agrochemicals such as micronutrients, pesticides, and antibiotics in crops will help ensure [high productivity](#) and high produce quality while minimizing the waste of resources is crucial.

However, current and standard practices for agrochemical application in plants, such as foliar spray, are inefficient due to off-target application, quick run-off in the rain, and actives' rapid degradation. These practices also cause significant detrimental environmental side effects, such as water and soil contamination, biodiversity loss and degraded ecosystems; and public health concerns, such as respiratory problems, chemical exposure and food contamination.

The novel silk-based microneedles technique developed by SMART circumvents these limitations by deploying and targeting a known

amount of payload directly into a plant's deep tissues, which will lead to higher efficacy of plant growth and help with disease management. The technique is minimally invasive as it delivers the compound without causing long-term damage to the plants and is environmentally sustainable. It minimizes resource wastage and mitigates the adverse side effects caused by agrochemical contamination of the environment. Additionally, it will help foster precise agricultural practices and provide new tools to study plants and design crop traits, helping to ensure food security.

Described in a paper titled "Drug Delivery in Plants Using Silk Microneedles," published in the January 2023 issue of *Advanced Materials*, the research studies the first-ever polymeric microneedles used to deliver small compounds to a wide variety of plants and the plant response to biomaterial injection. Through [gene expression analysis](#), the researchers could closely examine the reactions to drug delivery following microneedle injection. Minimal scar and callus formation were observed, suggesting minimal injection-induced wounding to the plant. The proof-of-concept provided in this study opens the door to plant microneedles' application in plant biology and agriculture, enabling new means to regulate plant physiology and study metabolisms via efficient and effective delivery of payloads.

The study optimized the design of microneedles to target the systemic transport system in *Arabidopsis* (mouse-ear cress), the chosen model plant. Gibberellic acid (GA3), a widely used plant growth regulator in agriculture, was selected for the delivery. The researchers found that delivering GA3 through microneedles was more effective in promoting growth than traditional methods (such as foliar spray). They then confirmed the effectiveness using [genetic methods](#) and demonstrated that the technique is applicable to various plant species, including vegetables, cereals, soybean and rice.

**SMART** Silk microneedle-based drug delivery technique for plants

The silk microneedle-based drug delivery technique developed by SMART researchers can be used to precisely deliver controlled amounts of agrochemicals to specific plant tissues. The novel technique is minimally invasive and is a sustainable and precise practice which will contribute to the sustainability of agriculture and food security.

Current practices for agrochemical application in plants, such as foliar spray, are inefficient due to off-target application, quick run-off in the rain, and actives' rapid degradation. These practices also cause significant detrimental environmental side effects, such as water and soil contamination, biodiversity loss and degraded ecosystems; and public health concerns, such as respiratory problems, chemical exposure and food contamination.








Illustration of a silk microneedle array on a dime coin

**BACKGROUND**

**Why is this important?**

Increasing environmental conditions caused by climate change, an ever-growing human population, scarcity of arable land, and limited resources are pressuring the agriculture industry to adopt more sustainable and precise practices that foster more efficient use of resources (e.g. water, fertilisers, and pesticides) and mitigation of environmental impacts.

RESULTS	METHODOLOGY	CONCLUSION
<div style="display: flex; align-items: center;"> <div style="width: 20%; text-align: center;"> <p>Control</p>  </div> <div style="width: 20%; text-align: center;"> <p>Injection</p>  </div> <div style="width: 60%;"> <p>Illustration of soybean seedlings 6 days post-injection. The plant injected by GA3-loaded silk microneedles showed improved growth in comparison with the soybean seedling with non-treated control</p> </div> </div>	<p>The research studies the first-ever polymeric microneedles used to deliver small compounds to a wide variety of plants and the plant response to biomaterial injection. The study was initially carried out on Arabidopsis (mouse-ear cress), the chosen model plant. Gibberellic acid (GA3), a widely used plant growth regulator in agriculture, was selected for the delivery.</p> <p>The researchers then confirmed the effectiveness using genetic methods and demonstrated that the technique is applicable to various plant species.</p>	<p>By utilising the silk microneedles approach, agrochemical compounds can be delivered directly into plants by penetrating tissue barriers, resulting in precise control over the quantity of agrochemicals applied. This technique enables high-tech precision agriculture, which optimises crop growth and yield.</p> <p>Furthermore, the research provides a foundation for studying how plants respond to biomaterials using genetic tools. By analysing these responses at a genetic level, researchers can gain an in-depth understanding of those responses, which can serve as a blueprint for the development of future biomaterials for the Agrifood sector.</p>

In collaboration with:   Massachusetts Institute of Technology

SMART researchers develop the world's first microneedle-based drug delivery technique for plants. Credit: Singapore-MIT Alliance for Research and Technology (SMART)

Professor Benedetto Marelli, co-corresponding author of the paper, Principal Investigator at DiSTAP, and Associate Professor of Civil and Environmental Engineering at MIT, shared, "The technique saves resources as compared to current methods of agrochemical delivery, which suffer from wastage. During the application, the microneedles break through the tissue barriers and release compounds directly inside the plants, avoiding agrochemical losses. The technique also allows for precise control of the amounts of the agrochemical used, ensuring high-tech precision agriculture and crop growth to optimize yield."

"The first-of-its-kind technique is revolutionary for the [agriculture](#)



[industry](#). It also minimizes resource wastage and environmental contamination. In the future, with automated microneedle application as a possibility, the technique may be used in high-tech outdoor and indoor farms for precise agrochemical delivery and disease management," added Dr. Yunteng Cao, the first author of the paper and Postdoctoral Associate of Civil and Environmental Engineering at MIT.

"This work also highlights the importance of using genetic tools to study plant responses to biomaterials. Analyzing these responses at the genetic level offers a comprehensive understanding of these responses, thereby serving as a guide for the development of future biomaterials that can be used across the AgriFood industry," said Sally Koh, the co-first author of this work and Ph.D. candidate from the National University of Singapore (NUS) and TLL.

The future seems promising as Professor Daisuke Urano, co-corresponding author of the paper, TLL Principal Investigator and NUS Adjunct Assistant Professor elaborated, "Our research has validated the use of silk-based microneedles for agrochemical application, and we look forward to further developing the technique and microneedle design into a scalable model for manufacturing and commercialisation. At the same time, we are also actively investigating potential applications that could have a significant impact on society."

**More information:** Yunteng Cao et al, Drug Delivery in Plants Using Silk Microneedles, *Advanced Materials* (2022). [DOI: 10.1002/adma.202205794](https://doi.org/10.1002/adma.202205794)

Provided by Singapore-MIT Alliance for Research and Technology

Citation: World's first microneedle-based drug delivery technique for plants (2023, March 14)

retrieved 23 April 2024 from

<https://phys.org/news/2023-03-world-microneedle-based-drug-delivery-technique.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.