


# Reviewing and evaluating recent electrochemical carbon dioxide reduction with ionic liquids

April 13 2023



Evaluation of electrochemical CO<sub>2</sub> reduction to C1 products with ionic liquids.  
Credit: Xiaoyan Ji, Luleå University of Technology

The increasing CO<sub>2</sub> emission as the chief culprit causing many environmental problems could be addressed via electrochemical CO<sub>2</sub> reduction (CO<sub>2</sub>R) to the added-value carbon-based chemicals. Due to the unique advantages, ionic liquids (ILs) have been widely studied to

promote CO<sub>2</sub>R as electrolytes and co-catalysts.

Among the potential products of CO<sub>2</sub>R, those only containing one carbon atom, named C1 products, including CO, CH<sub>3</sub>OH, CH<sub>4</sub>, and syngas, are easier to achieve than others. In the last dozen years, numerous related experimental studies and reviews have been reported to promote the development of CO<sub>2</sub>R-to-C1 products, and rapid progress has been achieved in these recent years.

However, to the best of our knowledge, no work has been conducted to discuss and systematically compare the economic benefits of different C1 products (CO, CH<sub>3</sub>OH, CH<sub>4</sub>, H<sub>2</sub>/CO(1:1) and H<sub>2</sub>/CO(2:1)) focusing on the IL-based electrolyte systems, as well as analyzing environmental impacts, to give guidance for realizing the commercialization of CO<sub>2</sub>R technology in the near future.

Herein, a team of scientists summarized and updated the research progress in the CO<sub>2</sub>R-to-C1 products based on the IL-based electrolytes, and comprehensively evaluated the [economic benefit](#) and environmental influence for the state-of-the-art and future potential technologies, respectively. Their work was published in *Industrial Chemistry & Materials*.

"As the rapid development of CO<sub>2</sub>R with ILs-based electrolyte in the lab, it is necessary to have a clear insight on their commercial value when scale-up it to an industrial scale," said Xiaoyan Ji, a professor at Luleå University of Technology.

"In this review, we summarized the experimental achievements of CO<sub>2</sub>R-to-C1 products using IL-based electrolyte, evaluated their performances from both economic and environmental aspects based the state-of-the-art technology and those with improved performance in the near future, and identified their potential for commercialization. We also

put forward the strategies to boost the performance and profits for CO<sub>2</sub>R-to-C1 product with ILs as the electrolyte in the future."

CO<sub>2</sub>R is one of the most promising methods to realize the conversion of CO<sub>2</sub> to value-added chemicals because of its mild conditions, as well as its easy and flexible controllability. Besides, its [driving force](#) can be integrated with renewable sources, such as solar, wind, and hydropower.

There are three main parameters to evaluate the performance of CO<sub>2</sub>R, including [current density](#), Faradaic efficiency (FE), and cell voltage, which can be improved through designing and optimizing electrocatalysts and electrolytes.

ILs, with their tunable structures and properties, wide electrochemical windows, and high electrical conductivities, can provide a low overpotential and high current density, and improve the product selectivity for CO<sub>2</sub>R. Significantly, ILs can effectively inhibit the hydrogen evolution reaction (HER), which is a competitive reaction of CO<sub>2</sub>R.

"CO is the only profitable product among the studied C1 products, while the total production costs (TPC) of other products are too high to be profitable, especially for CH<sub>4</sub> and H<sub>2</sub>/CO(2:1)," Ji said.

"This phenomenon is consistent with the performance of CO<sub>2</sub>R for each product. The current density and FE of CO are as high as 182.2 mA cm<sup>-2</sup> and 99.7%, respectively. However, for CH<sub>4</sub> and H<sub>2</sub>/CO(2:1), the current densities are as low as 25.6 and 11.4 mA cm<sup>-2</sup>, respectively.

Additionally, with the improved performance of CO<sub>2</sub>R, CH<sub>3</sub>OH and H<sub>2</sub>/CO(1:1) can be profitable in the near future. While it is difficult for CH<sub>4</sub> and H<sub>2</sub>/CO(2:1) to be profitable even under the most ideal scenario, partly due to the low market price. On the other side, the formation of CH<sub>4</sub> requires transferring the largest number of electrons (8e<sup>-</sup>) among

the studied C1 products."

"CO<sub>2</sub>R-to-CH<sub>4</sub> is the most environmentally friendly pathway compared to others," added Xiangping Zhang, a professor at the Institute of Process Engineering, Chinese Academy of Sciences. "While, considering both economic and environmental aspects, CO is the most attractive product. For other C1 products, further improvement of CO<sub>2</sub>R or the development of more advanced electrolyzers are required to realize their commercial value," Zhang said.

Furthermore, ILs should be further exploited in the future CO<sub>2</sub>R as follows: (1) the adjustable feature of ILs in the structure and properties provides unique advantages and feasibilities for designing more efficient and suitable electrolytes of CO<sub>2</sub>R; (2) the capability of ILs to dissolve a variety of solvents and electrolytes can integrate other solvents and electrolytes, further improving the performance of CO<sub>2</sub>R; (3) the cleaner ILs can be designed and synthesized applying into CO<sub>2</sub>R to mitigate the environmental burden; (4) except as electrolytes, ILs can also be the co-catalyst or modifier for the catalyst exhibiting superior performance.

"In this review, our main goal is to provide readers with intuitionistic insight on the commercial potential of CO<sub>2</sub>R-to-C1 products with ILs as the [electrolyte](#) based on the state-of-the-art and future scenarios from both economic and environmental aspects," said Ji.

**More information:** Yangshuo Li et al, Electrochemical CO<sub>2</sub> reduction with ionic liquids: review and evaluation, *Industrial Chemistry & Materials* (2023). [DOI: 10.1039/D2IM00055E](https://doi.org/10.1039/D2IM00055E)

Provided by Industrial Chemistry & Materials

Citation: Reviewing and evaluating recent electrochemical carbon dioxide reduction with ionic liquids (2023, April 13) retrieved 2 May 2024 from <https://phys.org/news/2023-04-electrochemical-carbon-dioxide-reduction-ionic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.