


Researchers fabricate mechanical metamaterials with ultra-high energy absorption capacity

April 21 2023, by LIU Jia



The SEM image of a FIB-milled quasi-BCC beam nanolattice. Credit: IMP

Chinese researchers have successfully fabricated mechanical metamaterials with ultra-high energy absorption capacity using ion track technology. The results were published in *Nature Communications* as an Editor's Highlight.

The study was conducted by the researchers from the Materials Research Center of the Institute of Modern Physics (IMP) of the Chinese Academy of Sciences (CAS) and their collaborators from Chongqing University.

Mechanical metamaterials refer to a class of composite materials with artificially designed structures, which exhibit extraordinary mechanical properties that traditional materials do not have. Among them, energy absorption [mechanical metamaterials](#) can absorb [mechanical energy](#) more efficiently, which requires the material itself to equip both [high strength](#) and high strain capacity, which, however, hardly co-exist in general.

Nanolattice is a new class of mechanical metamaterials with characteristic sizes on the nanoscale. Due to size effects, geometrical configuration, and material selection, the mechanical properties of this type of porous materials are very different from those of bulk materials. Given its even better mechanical properties with lighter weight, nanolattice is expected to bring revolutionary applications in the field of high-performance functional materials in the future.

Beam-structured nanolattice is the research focus of nanolattice metamaterials. However, it has been challenging to fabricate metallic beam nanolattice with beam diameter less than 100 nm, so its mechanical properties still remain ambiguous.

In this work, based on the Heavy Ion Research Facility at Lanzhou (HIRFL), the researchers fabricated a new type of quasi-body centered cubic (quasi-BCC) beam nanolattice mechanical metamaterial with ion track technology. The beam diameter of the quasi-BCC nanolattice can be as small as 34 nm, a record low beam diameter of mechanical metamaterials.

Additionally, the researchers demonstrated that gold and copper quasi-BCC beam nanolattices have excellent energy absorption capacity and [compressive strength](#). The experiments showed that the energy absorption capacity of the copper quasi-BCC beam nanolattice exceeds that of the previously reported beam nanolattice. The yield strength of the gold and copper quasi-BCC beam nanolattices exceeds that of the corresponding bulk materials at less than half the density of the latter.

Furthermore, the researchers revealed that the extraordinary mechanical properties are mainly due to the synergistic effect of size effects, quasi-BCC geometry, and good ductility of metals.

This study sheds light on the [mechanical properties](#) of the beam nanolattices, and applies ion track technology as a new method for the exploration of beam nanolattice with ultra-high energy [absorption](#) capacity.

More information: Hongwei Cheng et al, Mechanical metamaterials made of freestanding quasi-BCC nanolattices of gold and copper with ultra-high energy absorption capacity, *Nature Communications* (2023). [DOI: 10.1038/s41467-023-36965-4](https://doi.org/10.1038/s41467-023-36965-4)

Provided by Chinese Academy of Sciences

Citation: Researchers fabricate mechanical metamaterials with ultra-high energy absorption capacity (2023, April 21) retrieved 17 July 2024 from <https://phys.org/news/2023-04-fabricate-mechanical-metamaterials-ultra-high-energy.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--