

Gone for good? California's beetle-killed, carbon-storing pine forests may not come back

April 5 2023



Warming temperatures and the 2012-2015 megadrought fueled an outbreak of western pine beetles that decimated forests in the Sierra Nevada. Future conditions may limit both the scale of infestations and regrowth of timber to pre-megadrought levels. Credit: Zachary Robbins / Los Alamos National Laboratory

Ponderosa pine forests in the Sierra Nevada that were wiped out by western pine beetles during the 2012-2015 megadrought won't recover to pre-drought densities, reducing an important storehouse for atmospheric carbon.

"Forests store huge amounts of [atmospheric carbon](#), so when western pine beetle infestations kill off millions of trees, that [carbon dioxide](#) goes back into the atmosphere," said Zachary Robbins, a postdoctoral at Los Alamos National Laboratory.

Robbins is corresponding author of a new paper published in the journal *Frontiers in Environmental Science* about carbon stored in living ponderosa pines in the Sierra Nevada of California.

"We also found that because so many trees died during the [megadrought](#), there's much less risk of another huge die-off this century because the bark beetles will have fewer host trees," he said.

A mixed bag of impacts

It's a mixed bag, however. Western pine beetle outbreaks driven by [climate change](#) will continue to occur, limiting forest regeneration after the drought.

"Some carbon loss won't be resequenced in trees, but fewer trees on the landscape dampens the severity of western pine beetle outbreaks," Robbins said. "The forest seems to reach an equilibrium at a certain point."

The beetle needs a minimum density of trees to support explosive population growth. "Our paper found that as forests reach a certain

threshold of ponderosa pine density, they become exponentially more likely to have western pine beetle-driven die-off," Robbins said.

Complex interactions among climate change, weather, trees and beetles are decimating ponderosa forests in California and elsewhere. During the 2012-2015 drought, an estimated 129 million trees of various species died in the Sierra Nevada.

Carbon sink or carbon source?

As carbon sinks, forests sequester (store) more than a tenth of the greenhouse gas emissions in the United States. Trees can use the increasing carbon in the air to grow and thus fix more carbon in the form of wood.

"If there's no disturbance, such as a beetle outbreak, then the carbon gets stored, but when the beetle comes with the higher temperatures of climate change, their populations develop more rapidly," said Chonggang Xu, a senior scientist at Los Alamos and a co-author of the paper.

"Fewer beetles die in the winter because of warmer minimum temperatures."

Add in climate-driven drought, and "it all contributes to more frequent beetle outbreaks," Xu said.

"The ecosystem has been fundamentally changed by the effects of climate change," Xu said. "That means the forest can't recover to the pre-megadrought carbon level."

During an outbreak, millions of trees die and begin releasing carbon back to the atmosphere through microbial decay.

Carbon-budget buster

Xu said it's critical for future carbon budgeting to include the effects on [forest regeneration](#) caused by beetle outbreaks and other disturbances such as drought and fire. Carbon budgeting involves understanding how to manage carbon emissions to prevent catastrophic warming.

Rising temperatures also compound the effects of drought. "In the past, a three-year drought would have substantial impact on tree mortality," Xu said. "But in a warmer future, a two-year drought could have similar consequences."

Robbins, Xu and their collaborators simulated forests and beetle dynamics at 31 sites where ponderosa pines predominate in the central and southern Sierra Nevada. To study tree growth, regeneration and background mortality, they modeled insect mortality and phenology (cyclical biological events), tree defense and insect attacks.

They considered two periods, 2006-2018 and 2018-2100. The team used data from observations and modeling to simulate the climate for each site for 2006-2018 and they used climate model data alone for the 2018-2100 projections.

Outbreaks in California and beyond

The work has implications for ponderosa forests beyond California.

"Many of the interactions we describe here are very similar to those across the West, where you have warming temperatures helping beetle populations and you have dense forests of stressed trees, which will continue to be stressed by future drought," Robbins said. "That will increase the risk of outbreaks. Our paper is specific to California, but it's

a fundamental problem and we expect it to be reflected in many different forests throughout the western United States."

Xu and Robbins said their results reflect what land managers have known for many years: Overstocked pine stands are particularly susceptible to beetle outbreaks. As droughts increase in severity, managers may have to scale back forest density through active management to mitigate the increased risk.

"Our evidence shows there's a lot to be gained by those proactive management processes," Robbins said.

In a related 2022 paper, Robbins, Xu and collaborators published a [new modeling framework](#) to assess the risk [bark beetles](#) pose in many forest ecosystems under climate change. Adding together the effects of compromised tree defenses (15% to 20%) and increased bark beetle populations (20%), the team had determined that 35% to 40% more ponderosa pines would die from beetle attacks for each degree Celsius of warming.

More information: Zachary J. Robbins et al, Carbon stored in live ponderosa pines in the Sierra Nevada will not return to pre-drought (2012) levels during the 21st century due to bark beetle outbreaks, *Frontiers in Environmental Science* (2023). [DOI: 10.3389/fenvs.2023.1112756](#)

Provided by Los Alamos National Laboratory

Citation: Gone for good? California's beetle-killed, carbon-storing pine forests may not come back (2023, April 5) retrieved 26 June 2024 from <https://phys.org/news/2023-04-good-california-beetle-killed-carbon-storing-forests.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.