

Research reveals hidden ice melt in the greater Himalaya

April 3 2023



Revealing the 'invisible' glacier loss underwater. Credit: TPE

A new study reveals that the mass loss of lake-terminating glaciers in the greater Himalaya has been significantly underestimated, due to the inability of satellites to see glacier changes occurring underwater, with



critical implications for the region's future projections of glacier disappearance and water resources.

Published in *Nature Geoscience* on April 3, the study was conducted by an international team including researchers from the Chinese Academy of Sciences (CAS), Graz University of Technology (Austria), the University of St. Andrews (UK), and Carnegie Mellon University (U.S.).

The researchers found that a previous assessment underestimated the total <u>mass loss</u> of lake-terminating glaciers in the greater Himalaya by 6.5%. The most significant underestimation of 10% occurred in the central Himalaya, where glacial lake growth was the most rapid. A particularly interesting case is Galong Co in this region, with a high underestimation of 65%.

This oversight was largely due to the limitations of satellite imaging in detecting underwater changes, which has led to a knowledge gap in our understanding of the full extent of glacier loss. From 2000 to 2020, proglacial lakes in the region increased by 47% in number, 33% in area, and 42% in volume.





Galong Co. Credit: HUANG Cheng

This expansion resulted in an estimated glacier <u>mass</u> loss of around 2.7 Gt, equivalent to 570 million elephants, or over 1,000 times the total number of elephants in the world. This loss was not considered by previous studies since the utilized satellite data can only measure the lake water surface but not underwater ice that is replaced by water.

"These findings have important implications for understanding the impact of regional <u>water resources</u> and glacial lake outburst floods," said lead author Zhang Guoqing from the Institute of Tibetan Plateau Research, CAS.

By accounting for the mass loss from lake-terminating glaciers, the researchers can more accurately assess the annual mass balance of these glaciers compared to land-terminating ones, thus further highlighting the accelerated glacier mass loss across the greater Himalaya.



The study also highlights the need to understand the mechanisms driving glacier mass loss and the underestimated mass loss of lake-terminating glaciers globally, which is estimated to be around 211.5 Gt, or roughly 12%, between 2000 and 2020.

"This emphasizes the importance of incorporating subaqueous mass loss from lake-terminating glaciers in future mass-change estimates and glacier evolution models, regardless of the study region," said cocorresponding author Tobias Bolch from Graz University of Technology.

David Rounce, a co-author from Carnegie Mellon University, noted that in the long run, the mass loss from lake-terminating glaciers may continue to be a major contributor to total mass loss throughout the 21st century as glaciers with significant mass loss may disappear more rapidly compared to existing projections.

"By more accurately accounting for glacier mass loss, researchers can better predict future water resource availability in the sensitive mountain region," said co-author Yao Tandong, who also co-chairs Third Pole Environment (TPE), an international science program for interdisciplinary study of the relationships among water, ice, climate, and humankind in the region and beyond.

More information: Guoqing Zhang, Underestimated mass loss from lake-terminating glaciers in the greater Himalaya, *Nature Geoscience* (2023). DOI: 10.1038/s41561-023-01150-1. www.nature.com/articles/s41561-023-01150-1

Provided by Chinese Academy of Sciences

Citation: Research reveals hidden ice melt in the greater Himalaya (2023, April 3) retrieved 2



May 2024 from https://phys.org/news/2023-04-reveals-hidden-ice-greater-himalaya.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.