


Where did the first sugars come from?

April 13 2023



A new hypothesis states that the first sugars emerged from glyoxylate (pictured as the center molecule). In this hypothesis, glyoxylate first reacts with itself and then the byproducts from these reactions, ultimately forming simple sugars and other products (pictured as the surrounding molecules). Credit: Scripps Research and Unsplash

Two prominent origin-of-life chemists have published a new hypothesis for how the first sugars—which were necessary for life to evolve—arose on the early Earth.

In a paper published on April 13, 2023, in the journal *Chem*, chemists from Scripps Research and the Georgia Institute of Technology propose that key sugars needed for making early life forms could have emerged from reactions involving glyoxylate ($C_2HO_3^-$), a relatively simple chemical that plausibly existed on the Earth before life evolved. The study is titled "The Potential of Glyoxylate as a Prebiotic Source Molecule and a Reactant in Protometabolic Pathways—The Glyoxylose Reaction."

"We show that our new hypothesis has key advantages over the more traditional view that early sugars arose from the chemical formaldehyde," says Ramanarayanan Krishnamurthy, Ph.D., a professor in the Department of Chemistry at Scripps Research. Krishnamurthy's co-author was Charles Liotta, Ph.D., Regents' Professor Emeritus at the Georgia Institute of Technology's School of Chemistry and Biochemistry.

Origin-of-life chemists seek to explain how the basic molecular building blocks and reactions necessary for life could have arisen from the simple chemicals that were likely present on the "prebiotic" Earth. The overarching aim of the field is to answer the fundamental question of how our living planet came to be. But its discoveries also can inform—and have informed—many other fields, from [atmospheric science](#) and geology to [synthetic biology](#) and the search for life on other planets.

The three major classes of biological molecule whose availability needs to be explained by origin-of-life chemistry are: the [amino acids](#) that make up proteins, the nucleobases that make up the "letters" of DNA and RNA, and the sugars (also called carbohydrates) that are found throughout biology, including in the twisted backbone structure of DNA and RNA. According to the prevailing theories, amino acids probably arose from ammonia (NH_3), while nucleobases arose from hydrogen

cyanide (HCN).

The origin of sugars has been less clear. Many scientists believe the first sugars came from reactions involving formaldehyde (CH₂O), but this theory has some drawbacks.

"The formaldehyde reactions proposed by this theory are quite messy—they have uncontrolled side reactions and other drawbacks due to formaldehyde's high reactivity under the envisioned early-Earth conditions," Liotta says.

The chemists' proposed alternative is a "glyoxylate reaction" scenario in which glyoxylate first reacts with itself, forming a close cousin of formaldehyde known as glycolaldehyde. The researchers suggest that glyoxylate, glycolaldehyde, their byproducts and other simple compounds could have continued to react with one another, ultimately yielding simple sugars and other products—without the drawbacks of formaldehyde-based reactions.

Glyoxylate already has a prominent role in origin-of-life chemistry theories. Swiss chemist Albert Eschenmoser proposed in 2007 that a form of it might have been the source for multiple original biomolecules. Krishnamurthy and Furman University chemist Greg Springsteen, Ph.D., also suggested in [a 2020 *Nature Chemistry* paper](#) that glyoxylate could have helped initiate a primordial version of the modern (tricarboxylic acid) TCA cycle, a basic metabolic process found in most life forms on Earth.

Krishnamurthy and his team are currently working to demonstrate in the laboratory that the glyoxylate reaction scenario could indeed have yielded the first sugars.

"Such a demonstration would expand the role of glyoxylate as a versatile

molecule in prebiotic chemistry and further stimulate the search for its own origin on the prebiotic Earth," Krishnamurthy says.

The chemists are also looking into potential commercial applications of reactions that make glyoxylate, since these effectively consume CO₂ and thus can be used to reduce CO₂ levels, either locally in industrial settings or globally to combat global warming.

More information: Jonathan B. Krishnamurthy, The Potential of Glyoxylate as a Prebiotic Source Molecule and a Reactant in Protometabolic Pathways —The Glyoxylose Reaction, *Chem* (2023).

[DOI: 10.1016/j.chempr.2023.03.007](https://doi.org/10.1016/j.chempr.2023.03.007).

[www.cell.com/chem/fulltext/S2451-9294\(23\)00126-2](https://www.cell.com/chem/fulltext/S2451-9294(23)00126-2)

Provided by The Scripps Research Institute

Citation: Where did the first sugars come from? (2023, April 13) retrieved 12 September 2024 from <https://phys.org/news/2023-04-sugars.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.