


Automated detection of embryonic developmental defects

May 8 2023



Credit: EmbryoNet/University of Konstanz

Complex multicellular organisms can only emerge from fertilized eggs

because embryonic development is biologically precisely regulated. Cellular communication through signaling pathways plays a crucial role in this context. If the activities of the signaling pathways are disturbed, the embryo will show characteristic developmental defects.

In a new study published in the journal *Nature Methods*, researchers led by Patrick Müller, professor of developmental biology at the University of Konstanz, present their free software [EmbryoNet](#). The automated image analysis software detects and classifies defects that occur during the development of fish embryos. The classification can then be used to infer which signaling pathway was disturbed in these embryos. In high-throughput applications, the speed and accuracy of the software make it possible to investigate, for example, the mechanisms of how drugs work.

Artificial intelligence as a key component

Up to now, experts were required to microscopically inspect a large number of embryos in order to identify the underlying signaling mechanisms on the basis of visible developmental defects. This time-consuming method is tedious and also prone to differing, partly subjective assessments due to a lack of standardization.

"With EmbryoNet, we are therefore taking a machine learning-based approach, where a [neural network](#) trained with over 2 million representative images of zebrafish embryos does the objective classification," reports Matvey Safroshkin, one of the programmers of EmbryoNet along with Hernán Morales-Naverrete. In addition to the [image data](#) to be classified, EmbryoNet also takes into account the temporal information on [embryonic development](#) and the link between a developmental defect and the corresponding signaling pathway.

More effective than humans

The scientists tested the performance of their software in direct comparison with humans. The task: match previously unclassified images of zebrafish embryos to possible developmental defects. Not only experienced experts in the field of developmental biology competed with EmbryoNet, but also groups of students as part of an undergraduate practical course.

"The students' data were included in our study and are a nice demonstration of how current research and university teaching can benefit from each other," Müller says. The study results show that EmbryoNet can reliably identify different signaling mutants in zebrafish. Moreover, the software was much faster and even more sensitive than its human counterparts—including the experts.

Open-source and adaptable

The researchers also demonstrated that EmbryoNet can be applied not only to zebrafish—a popular model in developmental biology—but also to other [vertebrate species](#). "With relatively little effort, we were able to retrain EmbryoNet to classify other species that evolutionarily separated from zebrafish hundreds of millions of years ago," explains Daniel Čapek, a developmental biologist and one of the study authors.

Thus, the [open-source](#) software, which is freely usable and modifiable, has the potential to accelerate the characterization of developmental mutants in diverse species.

More information: Patrick Müller, EmbryoNet: using deep learning to link embryonic phenotypes to signaling pathways, *Nature Methods* (2023). [DOI: 10.1038/s41592-023-01873-4](https://doi.org/10.1038/s41592-023-01873-4).
www.nature.com/articles/s41592-023-01873-4

Provided by University of Konstanz

Citation: Automated detection of embryonic developmental defects (2023, May 8) retrieved 8 May 2024 from <https://phys.org/news/2023-05-automated-embryonic-developmental-defects.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.