

Humans evolved to walk with an extra spring in our step, shows foot arch study

May 30 2023



Credit: Pixabay/CC0 Public Domain

A new study has shown that humans may have evolved a spring-like arch to help us walk on two feet. Researchers studying the evolution of bipedal walking have long assumed that the raised arch of the foot helps

us walk by acting as a lever which propels the body forward.

But a global team of scientists have now found that the recoil of the flexible [arch](#) repositions the ankle upright for more effective walking. The effects in running are greater, which suggests that the ability to run efficiently could have been a [selective pressure](#) for a flexible arch that made walking more efficient too. This discovery could even help doctors improve treatments for present-day patients' foot problems.

"We thought originally that the spring-like arch helped to lift the body into the next step," said Dr. Lauren Welte, first author of the study in *Frontiers in Bioengineering and Biotechnology*, who conducted the research while at Queen's University and is now affiliated with the University of Wisconsin-Madison. "It turns out that instead, the spring-like arch recoils to help the ankle lift the body."

Step by step

The evolution of our feet, including the raised medial arch which sets us apart from great apes, is crucial to bipedal walking. The arch is thought to give hominins more leverage when walking upright: the mechanism is unclear, but when arch motion is restricted, running demands more energy. Arch recoil could potentially make us more efficient runners by propelling the center mass of the body forward, or by making up for [mechanical work](#) that muscles would otherwise have to do.

To investigate these hypotheses, the team selected seven participants with varying arch mobility, who walked and ran while their feet were being filmed by high-speed X-ray motion capture cameras. The height of each participant's arch was measured, and their right feet were CT-scanned.

The scientists created rigid models and compared them to the measured

motion of the foot bones to test the effect of arch mobility on adjacent joints. They also measured which joints contributed the most to arch recoil, and the contribution of arch recoil to center of mass and ankle propulsion.

Leaning into bipedalism

Although the scientists expected to find that arch recoil helped the rigid lever of the arch to lift the body up, they discovered that a rigid arch without recoil either caused the foot to leave the ground early, likely decreasing the efficiency of the calf muscles, or leaned the ankle bones too far forward.

The forward lean mirrors the posture of walking chimpanzees, rather than the upright stance characteristic of human gait. The flexible arch helped reposition the ankle upright, which allows the leg to push off the ground more effectively. This effect is even greater when running, suggesting that efficient running may have been an evolutionary pressure in favor of the flexible arch.

The scientists also found that the joint between two bones in the medial arch, the navicular and the medial cuneiform, is crucial to the arch's flexibility. Changes to this joint could help us track the development of bipedalism in the hominin fossil record.

"The mobility of our [feet](#) seems to allow us to walk and run upright instead of either crouching forward or pushing off into the next step too soon," said Dr. Michael Rainbow of Queen's University, senior author.

Therapeutic potential

These findings also suggest therapeutic avenues for people whose arches

are rigid due to injury or illness: supporting the flexibility of the arch could improve overall mobility.

"Our work suggests that allowing the arch to move during propulsion makes movement more efficient," said Welte. "If we restrict arch motion, it's likely that there are corresponding changes in how the other joints function."

"At this stage, our hypothesis requires further testing because we need to verify that differences in foot mobility across the population lead to the kinds of changes we see in our limited sample," said Rainbow. "That said, our work sets the stage for an exciting new avenue of investigation."

More information: Michael Rainbow et al, Mobility of the human foot's medial arch enables upright bipedal locomotion, *Frontiers in Bioengineering and Biotechnology* (2023). [DOI: 10.3389/fbioe.2023.1155439](https://doi.org/10.3389/fbioe.2023.1155439)

Provided by Frontiers

Citation: Humans evolved to walk with an extra spring in our step, shows foot arch study (2023, May 30) retrieved 9 September 2024 from <https://phys.org/news/2023-05-humans-evolved-extra-foot-arch.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.