

Non-contact microsphere ultrafast laser nanopatterning technology

May 26 2023




Fig. 1. Experimental setup of non-contact microsphere femtosecond laser irradiation and the fabricated nano-structures. Credit: Compuscript Ltd

In recent decades, the development of nano-fabrication technology is driven by the need to increase the density of components and performance, which requires high accuracy in material processing and the capability of manufacturing in an atmospheric environment. Compared to other advanced processing methods, ultrafast laser processing has been recognized as one of the most extensively used tools

for micro/nano-structuring.

However, the key challenge of ultrafast laser processing to produce extremely small features is the optical diffraction limit. The heat affected zone via these techniques is still much larger than the nano-structures, which mostly exhibit >300 nm melting zone.

Using a dielectric microsphere as a near-field lens for super-resolution nano-imaging and nano-fabrication has attracted great research interest. The optical phenomenon known as photonic nano-jet can contribute to laser beam focusing to overcome the diffraction limit. To increase the microsphere ultrafast laser processing throughput, the self-assembly method and micro-lens arrays lithography have been developed to fabricate surface patterns at a fast speed and low cost.

In addition to nano-hole structures achieved by contact mode, the microsphere femtosecond laser fabrication can also realize arbitrary structures on sample surfaces in non-contact mode. By lifting the microsphere to form a gap between the sample and the microsphere, the working distance can be increased to several micrometers.

This strategy leads to the microsphere working in far field. In this case, the feature size of surface structures can only be reduced to ~ 300 nm by the 405 nm lamp, 512 nm, and 800 nm femtosecond laser irradiation, which is still far from the optical diffraction limit. Thus, how to achieve a good balance between the working distance and feature size is a vital issue for microsphere assisted laser fabrication.

To overcome these problems, the research group of Prof. Minghui Hong from Xiamen University and the National University of Singapore, and Prof. Tun Cao from Dalian University of Technology jointly reported an ultrafast laser processing technology based on non-contact microspheres, realizing

Citation: Non-contact microsphere ultrafast laser nanopatterning technology (2023, May 26)
retrieved 2 May 2024 from

<https://phys.org/news/2023-05-non-contact-microsphere-ultrafast-laser-nanopatterning.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--