

## NZ maple syrup mission taps into hi-tech imaging

May 17 2023



Sugar maple trees have been planted near Hanmer Springs as part of University of Canterbury research exploring potential maple syrup production in New Zealand. Credit: University of Canterbury

A Te Whare Wānanga o Waitaha University of Canterbury (UC) team



has spent the last two years investigating whether it's viable to produce maple syrup at scale within Aotearoa New Zealand, and trial plantations have been established near Hanmer Springs and Geraldine.

In the latest stage of this project, Dr. Jamie Robinson, a postdoctoral fellow in the UC Department of Chemical and Process Engineering (CAPE), is using cutting-edge imaging techniques to study cells and structures inside the stems of a sugar maple tree. His aim is to understand the mechanisms that lead <u>maple trees</u> to produce high volumes of sugar-rich sap.

Dr. Robinson recently returned from his second trip to Melbourne to visit the Australian Synchrotron, a massive research facility with a suite of X-ray machines that can produce high resolution 3D images of the internal features of living maple tree saplings.

"I use different imaging techniques, both invasive and non-invasive, to study the internal features of sugar maple at high resolution," Dr. Robinson says. "The goal of this work is to find out how maple trees produce large amounts of sugar rich sap, which is processed to create maple syrup."

"Our aim is to get a better understanding of how maple sap is generated, and eventually to improve the ability to predict yields. If our research group is successful this will open the opportunity for production of a high value product, maple syrup, in New Zealand, and allow people to buy locally produced syrup."

Dr. Robinson's findings so far have been published in the journal Micron, and he plans to return to the synchrotron in August and get images of living saplings while they are being slowly frozen and then thawed, to find out how winter temperatures affect pressure inside the stems. The process is non-invasive and doesn't damage the trees.



Canada's freezing winters play an important role in maple syrup production by getting sap flowing in large, mature maple trees. Holes are drilled into the trees during winter and natural pressures cause the sap to flow into tubes for collection.

Despite our relatively <u>mild winters</u>, CAPE Professor Matt Watson, who is leading the research project, believes producing maple syrup in New Zealand has <u>commercial potential</u>. His team is exploring whether densely planted trees—about 10,000 per hectare—can produce enough sap in moderately cold temperatures to make large-scale production worthwhile.

"We've planted our first maple saplings near Hanmer Springs and have coppice pruned some of them to keep them small," says Professor Watson, who is Director of UC's Biomolecular Interaction Centre. "We're planning a third trial plantation site where we can plant red maple and paper birch trees, which also produce sap."

UC CAPE Ph.D. student Matt Rennie is monitoring sap flow and local weather conditions, and there are plans to extract a small quantity of sap from the Hanmer sugar maple trees either this winter or next.

While commercial production is a long way off, it is projected that 2,000 hectares of <u>maple</u> trees could generate \$60 million a year in <u>maple</u> syrup revenue. By absorbing carbon dioxide, the trees would also benefit the environment.

More information: Project site: <u>www.treesyrup.nz/</u>

Provided by University of Canterbury



Citation: NZ maple syrup mission taps into hi-tech imaging (2023, May 17) retrieved 28 June 2024 from <u>https://phys.org/news/2023-05-nz-maple-syrup-mission-hi-tech.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.