


Proposed perovskite-based device combines aspects of electronics and photonics

May 12 2023, by David L. Chandler



By sandwiching bits of perovskite between two mirrors and stimulating them with laser beams, researchers were able to directly control the spin state of quasiparticles known as exciton-polariton pairs, which are hybrids of light and matter. Credit: Massachusetts Institute of Technology

New findings from a team of researchers at MIT and elsewhere could

help pave the way for new kinds of devices that efficiently bridge the gap between matter and light. These might include computer chips that eliminate inefficiencies inherent in today's versions, and qubits, the basic building blocks for quantum computers, that could operate at room temperature instead of the ultracold conditions needed by most such devices.

The new work, based on sandwiching tiny flakes of a material called [perovskite](#) in between two precisely spaced reflective surfaces, is detailed in the journal *Nature Communications*, in a paper by MIT recent graduate Madeleine Laitz Ph.D. '22, postdoc Dane deQuilettes, MIT professors Vladimir Bulovic, Mounqi Bawendi and Keith Nelson, and seven others.

By creating these perovskite sandwiches and stimulating them with [laser beams](#), the researchers were able to directly control the momentum of certain "quasiparticles" within the system. Known as exciton-polariton pairs, these quasiparticles are hybrids of light and matter. Being able to control this property could ultimately make it possible to read and write data to devices based on this phenomenon.

"What's particularly fascinating about exciton-polaritons," Laitz says, is that they lie "on a spectrum between purely electronic and photonic systems." These quasiparticles "have the characteristics of both, and thus you can leverage exciton-polaritons to utilize the best properties of each."

For example, purely electronic transistors, she explains, have inherent losses to capacitance effects at each interface between devices, whereas "purely photonic systems have challenges in engineering, in that it's very hard to get photons to interact, and you have to rely on complex interferometric schemes." By contrast, the quasiparticles used by this team can be easily controlled through multiple variables.

The quasiparticle is "a combined state of light and neutral charge," Bulovic says. "As a result, you can perturb that combined state either with light or charge, and hence, if you need to modulate that state, you have extra levers you can utilize. These extra levers can now allow one to manipulate this combined state of matter in a more energy-efficient manner."

What's more, the materials involved are easily manufactured using room-temperature, solution-based processing methods, and thus could be relatively easy to produce at scale once practical systems are designed. So far, the work is at a very early stage, as researchers are still studying newly discovered effects; practical applications could be 5 to 10 years away, Laitz says.

Perovskites have attracted much attention in recent years as materials for new lightweight, flexible solar photovoltaic panels, so there has been a great deal of research on their properties and fabrication methods. The team settled on a particular version of perovskite called phenethylammonium lead iodide.

"Halide perovskites harvest light really well, and turn photons into electrons or excitons, depending on the dimensionality and material properties of the perovskite," she says, which is why the researchers chose this particular version of this large class of materials for their research.

Then, to create what is known as an optical cavity that can trap photons of light, the researchers placed tiny flakes of the material between mirrored surfaces. Two of these [ultrathin layers](#), just tens of nanometers thick, were spaced a precise distance apart using spacer layers, so that the mirrors were separated by half the wavelength of light that this perovskite material both absorbs and emits.

Using perovskite tuned to a wavelength of green light, the emitted green light then bounces back and forth between the mirrors. "It's reabsorbed by the material, re-emitted, reabsorbed, re-emitted, reabsorbed over and over again so quickly that you're interconverting between the photon and the exciton, such that you generate a superposition of both," Laitz says.

This can lead to the state of matter known as a Bose-Einstein Condensate, in which all the particles have identical energy states and behave much like one large particle. Laitz says that such condensates carry a property known as spin, and this can be modified by light or [electrical stimulation](#); the resulting changes can be measured by observing photoluminescence from the material using a spectroscopic imaging system. And unlike purely photonic systems, where there is little interaction between photons, these materials have strong interactions with both light and electrons.

Arrays of such condensates have been produced, but typically only at ultralow, cryogenic temperatures so far. "Perovskites offer the opportunity for realizing this phenomenon at elevated temperatures," but it's hard to form the condensates in perovskites. This new research shows fundamental characteristics of the process that leads to condensation, Laitz says. In their paper, "we propose several strategies from a material perspective and a device architecture perspective to enable this." And that could be a key step toward eventual [room-temperature](#) qubits, she says.

While such devices may take several years to develop, a more near-term application of the new findings could be in producing new kinds of light-emitting devices, deQuilettes says, including ones that could provide a steerable light source with directional output that can be controlled electronically.

More information: Madeleine Laitz et al, Uncovering temperature-

dependent exciton-polariton relaxation mechanisms in hybrid organic-inorganic perovskites, *Nature Communications* (2023). [DOI: 10.1038/s41467-023-37772-7](https://doi.org/10.1038/s41467-023-37772-7)

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: Proposed perovskite-based device combines aspects of electronics and photonics (2023, May 12) retrieved 25 April 2024 from <https://phys.org/news/2023-05-perovskite-based-device-combines-aspects-electronics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.