


Scientists discover the dynamics of an 'extra' chromosome in fruit flies

May 4 2023



Essential A chromosomes are in magenta and B chromosomes are cyan. Credit: Stowers Institute for Medical Research

Most chromosomes have been around for millions of years. Now, researchers from the Stowers Institute for Medical Research have revealed the dynamics of a new, very young chromosome in fruit flies that is similar to chromosomes that arise in humans and is associated with treatment-resistant cancer and infertility. The findings may one day



lead to developing more targeted therapies for treating these conditions.

A new study published in *Current Biology* on May 4, 2023, reveals how this small chromosome that arose less than 20 years ago has persisted in a single, lab-reared strain of the fruit fly, Drosophila melanogaster, and is correlated with supernumerary (extra) chromosomes in humans.

"I feel kind of like an astronomer who's watching the birth of a star," said Stowers Investigator Scott Hawley, Ph.D. "We are getting to watch the birth of a chromosome and are starting to understand both its capabilities and limitations."

Previous research from the Hawley Lab had first identified these small, extra chromosomes, but little was known about their form, function, or dynamics during cell division. Former Hawley Lab Postdoctoral Researcher Stacey Hanlon, Ph.D., realized that this discovery could be an ideal system to investigate how new chromosomes arise, which may lead to more effective cancer treatments and methods to overcome infertility.

Supernumerary chromosomes in humans are found in cancer cells and frequently interfere with drugs designed to target tumors, making these types of cancers, like osteosarcoma, difficult to treat. In addition, the presence of supernumerary chromosomes in men can disrupt normal chromosome segregation during sperm production, which can cause infertility.

"Being able to understand how supernumerary chromosomes arise and what their structures are can potentially illuminate their vulnerabilities," said Hawley. "This may enable the development of potential therapeutic targets."


Called B chromosomes—as opposed to the standard "A" set of essential



chromosomes—these <u>genetic elements</u> naturally appeared in a single laboratory stock of <u>fruit flies</u> in Hawley's lab. Now, the researchers are witnessing chromosome birth and evolution in less than two decades.

How does something like this new chromosome apparently arise from nothing? More important, as these newly born B chromosomes do not possess any known essential genes for fruit fly function, how do they persist in a genome? In short, by cheating.

"I like to call these B chromosomes genetic renegades," said Hanlon.
"They do not follow the rules."



Larva has 13 B chromosomes in addition to eight essential A chromosomes. DNA is stained with DAPI. Credit: Stowers Institute for Medical Research




Hanlon discovered that the fruit fly B chromosomes are maintained by a mechanism called "meiotic drive" that enables the them to rebel against the usual rules of inheritance. The B chromosomes drive their way into the next generation during the formation of the egg to ensure their own persistence in more than half of the next generation.

"Their genetic background—meaning the unique features in the B chromosome flies' genetic make-up—supports their preferential transmission to the next generation," said Hanlon. "That buys these guys evolutionary time to become a new chromosome, whether that's picking up an essential gene or acquiring something that enables them to better cheat."

Importantly, meiotic drive is a powerful force that can shape how genomes evolve. These findings originating in the Hawley Lab and actively investigated by Hanlon, now in her own lab at the University of Connecticut, can be used to understand the mechanisms behind what keeps meiosis fair and ensures that cheaters, like the B <u>chromosomes</u>, do not prosper.





B chromosomes and Chromosome 4 highlighted in yellow using a special sequence recognition probe. Credit: Stowers Institute for Medical Research

Additionally, Hanlon is examining how specific mutations can lead to chromosome breakage and new chromosome formation, revealing the mechanism of how supernumeraries arise and become requisite components of a genome.

"We're always looking for Achilles heels to get rid of these kinds of things," said Hawley of problematic supernumeraries in humans. "If we can identify what encouraged their formation, we may be able to identify individuals more likely to form them and take better measures to look for and deal with them."

More information: Stacey L. Hanlon et al, B chromosomes reveal a female meiotic drive suppression system in Drosophila melanogaster,



Current Biology (2023). DOI: 10.1016/j.cub.2023.04.028

Provided by Stowers Institute for Medical Research

Citation: Scientists discover the dynamics of an 'extra' chromosome in fruit flies (2023, May 4) retrieved 11 May 2024 from https://phys.org/news/2023-05-scientists-dynamics-extra-chromosome-fruit.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.