

# How a sea anemone uses its algal symbionts to assimilate nitrogen in nutrient-poor waters

May 15 2023

---



KAUST researchers have discovered how corals can thrive in nutrient-depleted oceans. Their study shows how sea anemones are able to recycle the essential nutrient Nitrogen. Credit: KAUST; Morgan Bennett-Smith

Tropical oceans are typically nutrient-poor, yet they host vast biologically diverse reef ecosystems built by symbiotic cnidarians

(including corals and anemones). This apparent contradiction, known as the Darwin Paradox, has puzzled scientists since it was first described by Charles Darwin in 1842.

Now, an international study, published in *Science Advances* and led by KAUST researchers, has demonstrated how the sea anemone *Aiptasia* distributes the sugar it receives from its symbionts to recycle nitrogen waste efficiently throughout its body, enabling it to thrive in nutrient-poor environments.

"Many previous studies focused on the ocean environment to discover where the limited nutrients come from—particularly nitrogen, which is very scarce," says research scientist Guoxin Cui, who worked on the project under the supervision of Manuel Aranda.

"Some coral-based studies hypothesized that coral-algae symbiosis generated these ecological hotspots. However, the underlying molecular mechanism enabling cnidarians to build these massive ecosystems remained elusive," Cui says.

Cui was particularly interested in examining the [symbiotic relationship](#) at the tissue level. Cnidarians have a simple tissue structure consisting of two major cell layers: the gastrodermis and the epidermis. Only the inner layer, the gastrodermis, forms the intracellular relationship with algae.

First, the team adapted a laser microdissection technique to separate the two tissue layers of *Aiptasia* and study tissue-specific gene expression. Using emerging single-cell RNA-sequencing technology, they investigated the RNA transcription profiles associated with symbiosis at fine cellular scales. This is the first time such techniques have been used to study symbiosis in sea anemones.

The approach allowed the researchers to identify the key transporters

involved in nitrogen assimilation, before using antibody staining to track the localization of these nutrient transporters within the anemone.

"We found that the anemone changes the expression and localization of nutrient transporters to distribute the glucose it receives from its symbionts across all of its tissues," says Aranda. "It uses most of its [body mass](#) to recycle the nitrogen waste produced, alongside processing any ammonium that is available in the environment."

The symbiotic relationship turns the whole organism into a nitrogen assimilator, notes Cui. "This challenges the widespread belief that algae are the sole actors in [nitrogen](#) assimilation; the [anemone](#) also plays a major role in recycling this scarce nutrient. They form a single inseparable meta-organism."

The team hope that this study provides the basis for creating better selective breeding methods and may inform efforts to safeguard reef ecosystems. They are expanding their research to examine symbiotic relationships across different cnidarian taxa and ecological contexts.

**More information:** Guoxin Cui et al, Molecular insights into the Darwin paradox of coral reefs from the sea anemone *Aiptasia*, *Science Advances* (2023). [DOI: 10.1126/sciadv.adf7108](https://doi.org/10.1126/sciadv.adf7108)

Provided by King Abdullah University of Science and Technology

Citation: How a sea anemone uses its algal symbionts to assimilate nitrogen in nutrient-poor waters (2023, May 15) retrieved 26 April 2024 from <https://phys.org/news/2023-05-sea-anemone-algal-symbionts-assimilate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.