


# Astronomers investigate the properties of a nearby pulsar

June 9 2023, by Tomasz Nowakowski



The pulsar PSR B1055–52 and its environment as detected in the HST F110W observation. Credit: Posselt et al.

Using the XMM-Newton satellite and the Hubble Space Telescope (HST), astronomers have conducted X-ray and near-infrared observations of a nearby middle-aged pulsar known as PSR B1055-52.

Results of the observational campaign, published on the *arXiv* preprint server, deliver essential information regarding the properties of this pulsar.

Pulsars are highly magnetized, rotating [neutron stars](#) emitting a beam of electromagnetic radiation. They are usually detected in the form of short bursts of radio emission; however, some of them are also observed via optical, X-ray and gamma-ray telescopes.

Although the distance to PSR B1055–52 remains uncertain, previous studies suggest that it is located not farther than 2,300 [light years](#) away from the Earth. PSR B1055–52 has a [spin period](#) of 197 milliseconds, spin-down age of about 535,000 years, spin-down power of 30 decillion erg/s, and a surface magnetic field at a level of 1.1 TG.

PSR B1055–52 is a well-studied pulsar, however there are some discrepancies regarding its X-ray spectral parameters and fluxes. That is why, a group of [astronomers](#) led by Bettina Posselt of the University of Oxford, UK, decided to inspect PSR B1055–52 with XMM-Newton and HST.

"Previous observations of the middle-aged gamma-ray, X-ray, and radio pulsar B1055–52 indicated some peculiarities, such as a suspected changing of the X-ray flux and spectral parameters, a large excess of the alleged thermal component of the ultraviolet (UV) spectrum over the Rayleigh-Jeans extension of the X-ray thermal spectrum, and a possible double break in the nonthermal spectral component between the optical and X-ray bands. We observed PSR B1055–52 with the XMM-Newton observatory in X-rays and the Hubble Space Telescope in near-infrared (NIR)," the researchers explained.

The study found that long-term X-ray properties of PSR B1005-52 seem to be stable based on the comparison between the 2000 and the new

XMM-Newton observations conducted in 2019. Moreover, the possibility that short-term X-ray flux changes occurred before or around 2012 cannot be entirely excluded. The astronomers assume that a calibration issue with the 2012 Chandra observation may explain the discrepancies reported by previous studies.

The power-law spectral index for PSR B1005-52 was measured to be  $-0.57$  in the energy band 3–10 keV, and a power-law slope was calculated to be approximately  $-0.24$  for the color index of 0.03 mag. It was noted that the power-law components in the ultraviolet-optical-infrared and X-ray spectra have similar slopes and connect with each other smoothly, which suggests common acceleration and emission mechanisms.

Furthermore, the X-ray spectrum of PSR B1005-52 is inconsistent with neutron star atmosphere model spectra, similar to other middle-aged pulsars. This may indicate a condensed neutron star surface, whose spectrum is possibly closer to the blackbody spectrum.

The new observations also allowed the researchers to accurately measure the proper motion of PSR B1005-52, which could be essential in order to estimate the kinematic age of this [pulsar](#).

"In principle, the now well-known proper motion could be used to constrain a kinematic age, providing an independent age estimate preferable to the rather uncertain characteristic age. Such information enables more reliable comparison with other NSs [neutron stars] as well as with theoretical predictions, e.g., NS cooling curves," the authors of the paper concluded.

**More information:** B. Posselt et al, X-ray and near-infrared observations of the middle-aged pulsar B1055-52, its multiwavelength spectrum, and proper motion, *arXiv* (2023). [DOI](#):

[10.48550/arxiv.2306.00185](https://arxiv.org/abs/2306.00185) [arxiv.org/abs/2306.00185](https://arxiv.org/abs/2306.00185)

© 2023 Science X Network

Citation: Astronomers investigate the properties of a nearby pulsar (2023, June 9) retrieved 12 May 2024 from <https://phys.org/news/2023-06-astronomers-properties-nearby-pulsar.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.