

Confinement effects of carbon nanotubes on polyoxometalate clusters enhance electrochemical energy storage

June 8 2023



Schematic illustration and electron microscopy characterization of onedimensional heterostructures of SWNT-confined polyoxometalate clusters. Credit: Wang Xiao



Carbon nanotubes (CNTs) are considered ideal electrochemical energy storage materials due to their high electrical conductivity, large theoretical surface area, and good chemical stability.

However, CNTs tend to aggregate due to strong van der Waals forces, which reduces their electrochemically active area. This problem is even worse for <u>single-walled carbon nanotubes</u> (SWNTs) due to their high length-to-diameter ratio.

Recently, a joint research team led by Dr. Wang Xiao from the Shenzhen Institute of Advanced Technology (SIAT) of the Chinese Academy of Sciences, Dr. Zhu Sheng from Shanxi University, and Prof. Li Yan from Peking University has encapsulated polyoxometalate guest molecules within SWNTs (with a diameter of approximately 1.4 nm) to enhance the electrochemical energy storage of CNTs.

The study was published in Cell Reports Physical Science on June 8.

Owing to the confinement effect of CNTs, polyoxometalate molecules form one-dimensional chain-like structures in the CNT cavity. Such welldefined polyoxometalate@SWNT hybrids are promising as electrode material candidates for supercapacitors.

The <u>electron transfer</u> from CNTs to polyoxometalates reduces the surface charge density of nanotubes, which then weakens the van der Waals forces and suppresses aggregation. Accordingly, SWNTs filled with polyoxometalates show a larger electrochemically active area and higher double-layer capacitance.

Polyoxometalate molecules can provide pseudocapacitance through reversible redox reactions, thus improving the capacitive performance of the polyoxometalate@SWNT hybrids. Notably, the confinement effect of CNTs greatly improve the cycling stability of encapsulated



polyoxometalates.

As a result, this one-dimensional hybrid material exhibits enhanced electrochemical energy storage properties, with a specific capacitance of 328.6 farads per gram (at 10 millivolts per second), which is higher than that of pure SWNTs (172.2 farads per gram). Furthermore, the assembled supercapacitor maintains a capacity retention rate of 91.3% after 10,000 cycles.

"Our study offers <u>valuable insights</u> into the research on the confinement effect of CNTs, which holds immense potential for harnessing highperformance energy storage and conversion materials," said Dr. Wang Xiao, a corresponding author of the study.

More information: Sheng Zhu, One-dimensional heterostructures of polyoxometalates-encapsulated carbon nanotubes for enhanced capacitive energy storage, *Cell Reports Physical Science* (2023). DOI: 10.1016/j.xcrp.2023.101446. www.cell.com/cell-reports-phys 2666-3864(23)00225-4

Provided by Chinese Academy of Sciences

Citation: Confinement effects of carbon nanotubes on polyoxometalate clusters enhance electrochemical energy storage (2023, June 8) retrieved 27 June 2024 from https://phys.org/news/2023-06-confinement-effects-carbon-nanotubes-polyoxometalate.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.