

First 'ghost particle' image of Milky Way galaxy captured by scientists: Neutrinos detected by IceCube

June 29 2023



An artist's composition of the Milky Way seen with a neutrino lens (blue). Credit: IceCube Collaboration/U.S. National Science Foundation (Lily Le & Shawn Johnson)/ESO (S. Brunier)

Our Milky Way galaxy is an awe-inspiring feature of the night sky, viewable with the naked eye as a horizon-to-horizon hazy band of stars.




Now, for the first time, the IceCube Neutrino Observatory has produced an image of the Milky Way using neutrinos—tiny, ghostlike astronomical messengers. In an article to be published in the journal *Science*, the IceCube Collaboration, an international group of over 350 scientists, presents evidence of high-energy neutrino emission from the Milky Way.

The high-energy <u>neutrinos</u>, with energies millions to billions of times higher than those produced by the <u>fusion reactions</u> that power stars, were detected by the IceCube Neutrino Observatory, a gigaton detector operating at the Amundsen-Scott South Pole Station.

This one-of-a-kind detector encompasses a cubic kilometer of deep Antarctic ice instrumented with over 5,000 light sensors. IceCube searches for signs of high-energy neutrinos originating from our galaxy and beyond, out to the farthest reaches of the universe.

"What's intriguing is that, unlike the case for light of any wavelength, in neutrinos, the universe outshines the nearby sources in our own galaxy," says Francis Halzen, a professor of physics at the University of Wisconsin–Madison and principal investigator of IceCube.






A multi-messenger view of the Milky Way galaxy, centered on the galactic center and viewed in galactic coordinates. Each panel shows the entire Galactic plane in a band of $\pm 15^{\circ}$ in galactic latitude, with each panel having a unique color scale. The panels, from top to bottom, are: 1) view in the optical range, which is partly obscured by clouds of gas and dust that absorb optical photons, 2) the integrated flux in gamma rays as seen by the Fermi-LAT 12 year survey, 3) emission template for the expected neutrino flux, taken to match the template from Fermi-LAT measurements, 4) emission template from panel 3 convolved with the IceCube detector acceptance for cascade-like neutrino events and 5) pretrial significance of the all-sky scan for point-like sources using the cascade neutrino event sample in the same band of the Galactic plane. Credit: IceCube

"As is so often the case, significant breakthroughs in science are enabled by advances in technology," says Denise Caldwell, director of NSF's Physics Division. "The capabilities provided by the highly sensitive IceCube detector, coupled with new data analysis tools, have given us an entirely new view of our galaxy—one that had only been hinted at



before. As these capabilities continue to be refined, we can look forward to watching this picture emerge with ever-increasing resolution, potentially revealing hidden features of our galaxy never before seen by humanity."

Interactions between <u>cosmic rays</u>-high-energy protons and heavier nuclei, also produced in our galaxy-and galactic gas and dust inevitably produce both gamma rays and neutrinos. Given the observation of <u>gamma rays</u> from the galactic plane, the Milky Way was expected to be a source of high-energy neutrinos.



The neutrino view (blue sky map) in front of an artist's impression of the Milky Way. Credit: IceCube Collaboration/Science Communication Lab for CRC 1491


"A neutrino counterpart has now been measured, thus confirming what we know about our galaxy and cosmic ray sources," says Steve Sclafani, a physics Ph.D. student at Drexel University, IceCube member, and colead analyzer.

The search focused on the southern sky, where the bulk of neutrino



emission from the galactic plane is expected near the center of our galaxy. However, until now, the background of muons and neutrinos produced by cosmic-ray interactions with the Earth's atmosphere posed significant challenges.

To overcome them, IceCube collaborators at Drexel University developed analyses that select for "cascade" events, or neutrino interactions in the ice that result in roughly spherical showers of light. Because the deposited energy from cascade events starts within the instrumented volume, contamination of atmospheric muons and neutrinos is reduced. Ultimately, the higher purity of the cascade events gave a better sensitivity to astrophysical neutrinos from the southern sky.





Two images of the Milky Way galaxy. The top is captured with visible light and the bottom is the first-ever captured with neutrinos. Credit: IceCube Collaboration/U.S. National Science Foundation (Lily Le & Shawn Johnson)/ESO (S. Brunier)



However, the final breakthrough came from the implementation of machine learning methods, developed by IceCube collaborators at TU Dortmund University, that improve the identification of cascades produced by neutrinos as well as their direction and energy reconstruction. The observation of neutrinos from the Milky Way is a hallmark of the emerging critical value that machine learning provides in data analysis and event reconstruction in IceCube.

"The improved methods allowed us to retain over an order of magnitude more neutrino events with better angular reconstruction, resulting in an analysis that is three times more sensitive than the previous search," says IceCube member, TU Dortmund physics Ph.D. student, and co-lead analyzer Mirco Hünnefeld.

The dataset used in the study included 60,000 neutrinos spanning 10 years of IceCube data, 30 times as many events as the selection used in a previous analysis of the <u>galactic plane</u> using cascade events. These neutrinos were compared to previously published prediction maps of locations in the sky where the galaxy was expected to shine in neutrinos.





A view of the IceCube Lab with a starry night sky showing the Milky Way and green auroras. Credit: Yuya Makino, IceCube/NSF

The maps included one made from extrapolating Fermi Large Area Telescope gamma-ray observations of the Milky Way and two alternative maps identified as KRA-gamma by the group of theorists who produced them.

"This long-awaited detection of cosmic ray-interactions in the galaxy is also a wonderful example of what can be achieved when modern methods of knowledge discovery in machine learning are consistently applied," says Wolfgang Rhode, professor of physics at TU Dortmund University, IceCube member, and Hünnefeld's advisor.



The power of <u>machine learning</u> offers great future potential, bringing other observations closer within reach.

"The strong evidence for the Milky Way as a source of <u>high-energy</u> <u>neutrinos</u> has survived rigorous tests by the collaboration," says Ignacio Taboada, a professor of physics at the Georgia Institute of Technology and IceCube spokesperson. "Now the next step is to identify specific sources within the galaxy."

These and other questions will be addressed in planned follow-up analyses by IceCube.

"Observing our own galaxy for the first time using particles instead of light is a huge step," says Naoko Kurahashi Neilson, professor of physics at Drexel University, IceCube member, and Sclafani's advisor. "As neutrino astronomy evolves, we will get a new lens with which to observe the universe."

More information: IceCube Collaboration, Observation of highenergy neutrinos from the Galactic plane, *Science* (2023). <u>DOI:</u> <u>10.1126/science.adc9818</u>. <u>www.science.org/doi/10.1126/science.adc9818</u>

Luigi Antonio Fusco, Galactic neutrinos in the Milky Way, *Science* (2023). DOI: 10.1126/science.adi6277, <u>www.science.org/doi/10.1126/science.adi6277</u>

Provided by University of Wisconsin-Madison

Citation: First 'ghost particle' image of Milky Way galaxy captured by scientists: Neutrinos detected by IceCube (2023, June 29) retrieved 28 April 2024 from



https://phys.org/news/2023-06-ghost-particle-image-milky-galaxy.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.