


# NASA's new detectors could improve views of gamma-ray events

June 6 2023, by Elizabeth Markham



In a practical application like this sounding rocket test instrument design, a gamma-ray observatory would use multiple layers of Astropix sensors, which could then track a 3-dimensional particle trajectory through a series of two-dimensional, pixelated detectors. Credit: Regina Caputo

Using technology similar to that found in smartphone cameras, NASA scientists are developing upgraded sensors to reveal more details about black hole outbursts and exploding stars—all while being less power hungry and easier to mass produce than detectors used today.

"When you think about [black holes](#) actively shredding stars, or [neutron stars](#) exploding and creating really high-energy bursts of light, you are looking at the most extreme events in the universe," said research astrophysicist Dr. Regina Caputo. "To observe these events, you need to look at the highest-energy form of light: gamma rays."

Caputo leads an instrument-development effort called AstroPix at NASA's Goddard Space Flight Center in Greenbelt, Maryland. The silicon pixel sensors in AstroPix—still in development and testing—are reminiscent of the semiconductor sensors that allow [smartphone cameras](#) to be so small.

"Gamma rays are notoriously tricky to measure because of the way that the incoming particle interacts with your detector," said Dr. Amanda Steinhebel, a NASA Postdoctoral Program fellow working with Caputo.

Gamma rays are wavelengths of light more energetic than ultraviolet and X rays, and their photons act more like particles than waves. "Instead of just being absorbed by a sensor like [visible light](#)," Steinhebel said, "gamma rays bounce all around."

NASA's Fermi Gamma-ray Space Telescope, which has studied the gamma-ray sky since 2008, solved the "bounce" problem in its main instrument by using towers of strip-shaped sensors. This table-sized cube, Fermi's Large Area Telescope, was itself groundbreaking technology when the mission launched.

Each strip maps a gamma-ray strike in a single-dimension, while layers

of strips oriented perpendicular to each other record the second dimension. Gamma rays generate a cascade of energetic strikes through multiple layers, providing a map pointing back to the source.

About the size of a golf bag, a space telescope instrument using AstroPix sensors would require half as many layers as the Fermi strip detector technology, Caputo said.

"It's easier to tell exactly where particles interact," Steinhebel said, "because you just identify the point in the grid that it interacted with. Then you use multiple layers to literally trace back the paths that particles took through it."

AstroPix could record lower-energy gamma rays than current technology, Steinhebel explained, because these photons tend to get lost filtering through the multiple layers of a strip detector. Capturing them would provide more information about what happens during short-lived, energetic events. "These low-energy [gamma rays](#) are most common during peak burst brightness," she explained.

The pixel detectors also consume less electricity to operate, Caputo said, a major upside for future missions planning out their power usage.

Pixelated silicon detectors have been proven in particle accelerator experiments, she said, and their common use and [mass production](#) for cell phones and digital cameras make them easier and less expensive to obtain.

Developing different prototypes over multiple years and seeing AstroPix create accurate plots of gamma-ray light has been exhilarating and extremely satisfying, Steinhebel said.

While the team continues to work on developing and improving their

technology, Caputo said the next step would be to launch the technology on a short sounding rocket flight for further testing above Earth's atmosphere.

They hope to benefit a future [gamma](#)-ray mission intended to further the study of high-energy universe events.

"We can do such cool science with this," Caputo said. "I just want to see that happen."

Provided by NASA

Citation: NASA's new detectors could improve views of gamma-ray events (2023, June 6) retrieved 27 July 2024 from <https://phys.org/news/2023-06-nasa-detectors-views-gamma-ray-events.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.