


# Tiny quantum electronic vortexes can circulate in superconductors in ways not seen before

June 1 2023

---



A new study by KTH Royal Institute of Technology and Stanford University revises our understanding of quantum vortices in superconductors. Pictured, an artist's depiction of quantum vortices. Credit: Greg Stewart, SLAC National Accelerator Laboratory

Within superconductors little tornadoes of electrons, known as quantum vortices, can occur which have important implications in superconducting applications such as quantum sensors. Now a new kind of superconducting vortex has been found, an international team of

researchers reports.

Egor Babaev, professor at KTH Royal Institute of Technology in Stockholm, says the study revises the prevailing understanding of how electronic flow can occur in superconductors, based on work about quantum vortices that was recognized in the 2003 Nobel Prize award. The researchers at KTH, together with researchers from Stanford University, TD Lee Institute in Shanghai and AIST in Tsukuba, discovered that the [magnetic flux](#) produced by vortices in a superconductor can be divided up into a wider range of values than thought.

That represents a new insight into the fundamentals of superconductivity, and also potentially can be applied in superconducting electronics.

A vortex of magnetic [flux](#) happens when an [external magnetic field](#) is applied to a superconductor. The [magnetic field](#) penetrates the superconductor in the form of quantized magnetic flux tubes which form vortices. Babaev says that originally research held that quantum vortices pass through superconductors each carrying one quantum of magnetic flux. But arbitrary fractions of quantum flux were not a possibility entertained in earlier theories of superconductivity.

Using the Superconducting Quantum Interference Device (SQUID) at Stanford University Babaev's co-authors, research scientist Yusuke Iguchi and Professor Kathryn A. Moler, showed at a [microscopic level](#) that quantum vortices can exist in a single electronic band. The team was able to create and move around these fractional quantum vortices, Moler says.

"Professor Babaev has been telling me for years that we could see something like this, but I didn't believe it until Dr. Iguchi actually saw it

and conducted a number of detailed checks," she says.

The Stanford researchers found the initial observation of this phenomenon "so incredibly uncommon," says Iguchi, that they repeated the experiment 75 times in at various locations and temperatures.

The work confirms a prediction Babaev published 20 years ago, which held that in certain kinds of crystals, one part of an electron population of a superconducting material can form a clockwise circulating vortex, while other electrons can form a counter-clockwise vortex simultaneously. "These combined quantum tornadoes can carry an arbitrary fraction of flux quantum," he says.

"That revises of our understanding of quantum vortices in superconductors," he says.

Moler affirmed that conclusion. "I have been looking at vortices in novel [superconductors](#) for over 25 years, and I have never seen this before," she says.

Babaev says that the robustness of quantum vortices and the possibility to control them suggests that quantum vortices could potentially be used as information carriers in superconducting computers.

"The knowledge that we gain, the spectacular methods that were introduced by our colleagues Dr. Iguchi and Professor Moler at Stanford, may in a long run be potentially helpful for certain platforms for quantum computation," Babaev says.

The study is published in the journal *Science*.

**More information:** Yusuke Iguchi, Superconducting vortices carrying a temperature-dependent fraction of the flux quantum, *Science* (2023).

[DOI: 10.1126/science.abp9979](https://doi.org/10.1126/science.abp9979).

[www.science.org/doi/10.1126/science.abp9979](https://www.science.org/doi/10.1126/science.abp9979)

Provided by KTH Royal Institute of Technology

Citation: Tiny quantum electronic vortexes can circulate in superconductors in ways not seen before (2023, June 1) retrieved 3 May 2024 from <https://phys.org/news/2023-06-tiny-quantum-electronic-vortexes-circulate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.