


# Towards silver cluster-assembled materials for environmental monitoring

July 27 2023



Schematic representation of the reaction and crystallization process. The magnified view shows the SEM images (bottom left: TUS 1, bottom right: TUS 2) of the crystals. Credit: *Nanoscale* (2023). DOI: 10.1039/D3NR01920A

In recent years, there has been a growing interest in using silver nanoclusters (Ag NCs), nanoscale silver particles composed of tens to hundreds of atoms, across various fields like material science, chemistry, and biology. Ag NCs typically have sizes ranging from 1–3 nm. Scientists have made significant progress in creating and manipulating Ag NCs, leading to the development of silver cluster-assembled materials (SCAMs).

SCAMs are light-emitting materials made up of many interconnected Ag NCs, joined together by special organic linker molecules called "ligands." What is special about them is their molecular-level structural designability and unique photophysical properties. However, their widespread use has been limited owing to their dissimilar structural architecture when immersed in different solvents.

To address this problem, a team of researchers from Tokyo University of Science (TUS), led by Professor Yuichi Negishi and including Assistant Professor Saikat Das, recently developed two new (4.6)-connected three-dimensional luminescent SCAMs comprising an  $\text{Ag}_{12}$  cluster core connected by quadridentate pyridine linkers— $[\text{Ag}_{12}(\text{S}^t\text{Bu})_6(\text{CF}_3\text{COO})_6(\text{TPEPE})_6]_n$ , denoted as TUS 1 and  $[\text{Ag}_{12}(\text{S}^t\text{Bu})_6(\text{CF}_3\text{COO})_6(\text{TPVPE})_6]_n$ , denoted as TUS 2.

"We have successfully developed two silver –cluster-connected architectures with a new linkage structure, which can be applied to environmental monitoring and assessment," explains Prof. Negishi. This study was published in the journal *Nanoscale*.

The researchers synthesized the SCAMs using the same facile reaction method with the only difference being the linker molecules. They combined  $[AgS^tBu]_n$  and  $CF_3COOAg$  in a solution of acetonitrile and ethanol. The linker molecules TPEPE = 1,1,2,2-tetrakis(4-(pyridin-4-ylethynyl)phenyl)ethene and TPVPE = 1,1,2,2-tetrakis(4-((*E*)-2-(pyridin-4yl)vinyl)phenyl)ethene were dissolved in separate chemicals, namely tetrahydrofuran and dichloromethane, respectively.

The metal solution was then added to the linker molecule solution and left to crystallize in the dark. After one day, yellow crystals formed near the junction of the two solutions, signifying the creation of the SCAMs.

The team conducted various tests to examine the structure of the SCAMs. They found that TUS 1 had a rod-shaped structure, while TUS 2 had a block-shaped structure. They also tested the chemical stability of the materials by immersing them in different solvents, and found that their crystal structure remained unchanged, highlighting their exceptional stability.

Additionally, due to their exceptional fluorescence properties with a quantum yield of up to 9.7% and stability in water, the team investigated the potential of SCAMs for detecting metal ions in aqueous solutions.

To their delight, both SCAMs were highly sensitive to  $Fe^{3+}$  ions, which effectively quenched their fluorescence at room temperature, indicating the presence of  $Fe^{3+}$  ions. The detection limits of  $Fe^{3+}$  ions were 0.05 and 0.86  $nM L^{-1}$  for TUS 1 and TUS 2, respectively, comparable to the standard values. Furthermore, both SCAMs were highly selective towards  $Fe^{3+}$  and were not affected by other common [metal ions](#).

These results suggest a potential application of SCAMs in [environmental monitoring](#), particularly in detecting  $Fe^{3+}$  ions in water. "The ability to

link silver clusters via various linkage modes can enable a bottom-up fabrication of materials with various physicochemical properties. Further developments nanotechnology can thus allow us to fabricate materials and devices on a smaller scale, which is expected to lead to higher functionalities in materials and devices," says Prof. Negishi.

**More information:** Jin Sakai et al, Synthesis and luminescence properties of two silver cluster-assembled materials for selective Fe<sup>3+</sup> sensing, *Nanoscale* (2023). [DOI: 10.1039/D3NR01920A](https://doi.org/10.1039/D3NR01920A)

Provided by Tokyo University of Science

Citation: Towards silver cluster-assembled materials for environmental monitoring (2023, July 27) retrieved 2 May 2024 from <https://phys.org/news/2023-07-silver-cluster-assembled-materials-environmental.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.