


Researchers develop a unique quantum mechanical approach to determining metal ductility

August 14 2023



The team found that higher (increased) charge activity is responsible for improved ductility in body-centered cubic metals. The yellow region, which represents the higher electronic charge in the interstitials (area in between the

atoms), corresponds to the increased charge activity that leads to higher ductility. The light blue regions are interstitials with weaker charge activity. In this image, each atom is represented by a different color, tantalum (Ta), molybdenum (Mo), and tungsten (W) as specified above. The blue, pink, and red contours show charge distribution around each site. Credit: U.S. Department of Energy Ames National Laboratory

A team of scientists from Ames National Laboratory and Texas A&M University developed a new way to predict metal ductility. This quantum-mechanics-based approach fills a need for an inexpensive, efficient, high-throughput way to predict ductility. The team demonstrated its effectiveness on refractory multi-principal-element alloys. These are materials of interest for use in high-temperature conditions, however, they frequently lack necessary ductility for potential applications in aerospace, fusion reactors, and land-based turbines.

Ductility describes how well a material can withstand physical strain without cracking or breaking. According to Prashant Singh, a scientist at Ames Lab and leader of the theoretical design efforts, there are currently no robust ways to predict metal [ductility](#). Additionally, trial-and-error experimentation is expensive and time-consuming, especially in [extreme conditions](#).

A typical way to model atoms is with rigid spheres that are symmetrical. However, Singh explained that in real materials, the atoms are different sizes and have shapes. When mixing elements with different sized atoms, the atoms continually adjust to fit within the fixed space. This behavior creates local atomic distortion.

The new analysis incorporates local atomic distortion in determining whether a material is brittle or ductile. It also expands on the capabilities

of current approaches. "They [current approaches] are not very efficient at distinguishing between ductile and brittle systems for small compositional changes. But the new approach can capture such non-trivial details, because now we have added a quantum mechanical feature in the approach that was missing," Singh said.

Another advantage to this new high-throughput testing method is its efficiency. Singh explained that it can test thousands of materials rapidly. The speed and capacity make it possible to predict which material combinations are worth taking to the experimental level. This minimizes the time and resources needed to discover these materials through experimental methods.

To determine how well their ductility test worked, Gaoyuan Ouyang, an Ames Lab Scientist, led the team's experimental efforts. They performed validation tests on a set of predicted refractory multi-principal-element alloys (RMPEAs). RMPEAs are materials that have potential for use in high temperature environments, such as aerospace propulsion systems, nuclear reactors, turbines, and other energy applications.

Through their validation testing, the team found that, "The predicted ductile metals underwent significant deformation under high stress, while the brittle metal cracked under similar loads, confirming the robustness of new quantum mechanical method," Ouyang said.

The findings are published in the paper, "A ductility metric for refractory-based multi-principal-element alloys," in *Acta Materialia*.

More information: Prashant Singh et al, A ductility metric for refractory-based multi-principal-element alloys, *Acta Materialia* (2023).

[DOI: 10.1016/j.actamat.2023.119104](https://doi.org/10.1016/j.actamat.2023.119104)

Provided by Ames National Laboratory

Citation: Researchers develop a unique quantum mechanical approach to determining metal ductility (2023, August 14) retrieved 7 September 2024 from

<https://phys.org/news/2023-08-unique-quantum-mechanical-approach-metal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.