


Nano droplets go skiing at high temperatures

September 11 2023, by K. W. Wesselink-Schram (Kees)



Snapshots from a PEEM movie (field of view 150 micron, 4.9 eV photons) of Ge-Pt droplets. The straight-line segments illustrate the evolution of the positions of the center of gravity, coordinates (x, y) in microns, of the eutectic droplets marked by colored circles in the image in the top-left. The white points are smaller droplets (diameter Physical Review Letters (2023)). DOI: [10.1103/PhysRevLett.131.106201](https://doi.org/10.1103/PhysRevLett.131.106201)

Currently, many (nano)structures are grown in layers, one above the


other, but their ordering on the atomic scale is generally far from perfect. Researchers from the University of Twente have aimed for a better understanding of these processes that can eventually lead to smaller, faster and overall better nanotechnology and have, in a worldwide first observation, discovered pre-solidification in droplet mixture. They recently published these exciting findings in the journal *Physical Review Letters*.

The [droplets](#) are composed of a mixture of the metals platinum and germanium and move on a heated substrate in the direction of the heat source. But as soon as the temperature lowers, the droplets start their unique behavior. Like professional skiers, they suddenly change their direction and make a slalom.

"Using a photo-emission electron microscope, we were able to film the [skiing](#) and show the whole process of solidifying," explains Arie van Houselt, corresponding author of the publication.

The skiing droplets form at surprisingly high temperatures. "This happens at ninety degrees above their eutectic point, which is the [temperature](#) at which these types of mixtures freeze. The droplets don't solidify all at once. They first elongate and then the solidifying process starts at the bottom. On their interface with the substrate," explains Van Houselt.

This first solid layer also explains the skiing. When the material solidifies, it gains a nanostructure which acts as a grid on which the droplet can move. The nanostructure lowers the resistance of the droplets in another direction. The droplets make use of this lowered resistance and make a sharp turn. They start moving in this direction.



Credit: University of Twente

This remarkable display isn't just an entertaining performance at the nanoscale. The conditions under which these droplets display their extraordinary skiing are close to those found in the growth of many ([nano](#))structures, such as nanowires and germanene. Van Houselt states, "Discoveries like this one provide invaluable insights into the mechanisms of these transformations, potentially opening the doors to the creation of flawlessly engineered computer chips."

More information: Bene Poelsema et al, Presolidification in Eutectic

Droplets, *Physical Review Letters* (2023). DOI: [10.1103/PhysRevLett.131.106201](https://doi.org/10.1103/PhysRevLett.131.106201)

Provided by University of Twente

Citation: Nano droplets go skiing at high temperatures (2023, September 11) retrieved 2 May 2024 from <https://phys.org/news/2023-09-nano-droplets-high-temperatures.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.