

Pace of increase in CO₂ concentration has increased three-fold: report

September 6 2023, by Marlowe HOOD



Glaciers in the Swiss Alps lost a record six percent of their volume.

The pace at which the concentration of CO₂ in the atmosphere is increasing—due mostly to the burning of fossil fuels—has jumped three-fold in five decades, an international report said Wednesday.

In 2022, there were on average 417 parts per million (ppm) of the planet-warming gas in the air, up 2.2 ppm from the year before, according to the annual State of the Climate report led by scientists from the US National Oceanic and Atmospheric Administration.

This is 50 percent more than pre-industrial levels and "the highest in the modern atmospheric record and in paleoclimate records dating back as far as 800,000 years", the report noted.

Annual growth in global mean carbon dioxide averaged across the last decade has tripled since the 1960s, it found.

Throughout 2022, "the climate continued to respond to the ongoing increase in [greenhouse gases](#) and resulting warming," it added.

Temperatures reached record-breaking highs during the year across multiple continents, including peaks above 50 degrees Celsius (122 degrees Fahrenheit) in Western Australia and 47C in the American southwest.

Sustained [heat waves](#) ravaged South and East Asia, with China enduring the worst heat wave ever recorded anywhere in the world.

Tempered by the impact of a climate-cooling La Niña, a naturally occurring weather phenomenon across the southern Pacific, 2022 was ranked as the fifth or sixth [warmest year](#) since reliable records began in the mid-19th century.

The last eight years—2015 through 2022—are the eight warmest on record, and 2023 is on track to be warmer than any of them, the EU's climate monitoring service said Wednesday.

The increase in global drought area that began in mid-2019 continued

into 2022, according to the report.

August 2022 saw a new high for the percentage of global land area—20 percent—experiencing moderate or worse drought conditions.

More frequent and intense heat waves last year also contributed to the second-greatest loss of mass for [mountain glaciers](#) across the globe since satellite tracking began in the 1970s.

Glaciers in the Swiss Alps lost a record six percent of their volume.

Across the two-thirds of the planet covered by seas, nearly 60 percent of ocean surface waters experienced at least one marine heat wave, according to the report.

Oceans have trapped and stored more than 90 percent of the excess heat generated by [global warming](#), keeping Earth's land surface liveable for most of its inhabitants.

© 2023 AFP

Citation: Pace of increase in CO₂ concentration has increased three-fold: report (2023, September 6) retrieved 12 May 2024 from <https://phys.org/news/2023-09-pace-co2-three-fold.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--