

Three out of four populations of rare butterflies in Eastern Denmark have been lost

September 5 2023



Pearl-bordered fritillary (Boloria euphrosyne). Credit: Pearl-bordered fritillary (Boloria euphrosyne). Foto: Emil Blicher Bjerregård



In just 26 years, the distribution of rare butterflies has plummeted by 72% in Eastern Denmark. Several species are threatened with extinction, yet the conservation actions aiming to safeguard species have proved unsuccessful. This is the conclusion of a comprehensive study from the University of Copenhagen published in the journal *Biological Conservation*.

They are as characteristic of Danish summer as cold buttermilk soup, sweet strawberries and dandelions—but we are awful at taking care of them. Many of Denmark's butterfly species have been in sharp decline for decades, a trend that continues at breakneck speed according to research from the University of Copenhagen. On top of that, current nature conservation efforts do not seem to be helping the rarer species, as was intended.

Data collected over six years by biologist Emil Blicher Bjerregård establishes just how drastic the decline is for twenty-two rare butterfly species across Eastern Denmark. Several of these species are critically endangered.

"The distribution of the twenty-two butterfly species we've been monitoring on Zealand, Lolland, Falster and Møn has shrunk by 72% since 1993. All but one of the species have declined, and several of them only have one local population left. I wouldn't be surprised if at least eight of the species become extinct in a few years. These include the pearl-bordered fritillary, mazarine blue and northern chequered skipper," says Bjerregård.

Bjerregård, a newly minted biologist from the University of Copenhagen, is lead author of a research article about the study, alongside contributing researchers from the University of Copenhagen's Department of Biology and Department of Mathematical Sciences.



Lack of original habitat

The researchers compared the number of so-called "occurrence sites" in Eastern Denmark, areas with one or more populations of the target butterfly species were present, with the situation prior to 1993, when the last mapping of butterfly distribution was conducted. In 1993, the twenty-two species were spread across 565 sites in Eastern Denmark, whereas only 158 sites remained in 2019—a 72% reduction.

"The data are very robust and they unveils dramatic numbers which appear to be worse than in our neighboring countries. Many once common and widespread species in Denmark have become very rare. And once they're gone, they won't return," says Associate Professor Hans Henrik Bruun, the study's senior author.





Mazarine blue (Cyaniris semiargus). Credit: Emil Blicher Bjerregård

The study shows that the decline applies to every type of butterfly habitat. These habitats include open woodland, peat bogs and grasslands.

"Butterflies are a good indicator of nature quality. The studied species cannot live in residential neighborhoods, fertilized meadows or the margins of agricultural fields. They need more <u>natural habitats</u>. Plenty of such habitats once existed. This is no longer the case," says Bjerregård.

Nature conservation efforts have not worked

"Most of the butterfly occurrence sites are formally protected and have been so for decades. But we don't see any signs that legal area protection—neither national nor EU's Natura2000—has had any positive impact for the rarer butterfly species over the past 30 years," says Bruun.

According to Bruun and Bjerregård, this is most likely because current nature conservation efforts have been insufficient:

"Legally protected areas are in reality poorly protected from human activities. For example, plantation forestry continues to take place in Natura 2000 areas and the Danish national parks are 'paper parks' with supermarkets and parking lots. At the same time, the flowers important to butterflies are sparse in <u>natural areas</u>—partly as a result of farmers receiving support to tend to grasslands with either intensive summer grazing or no grazing at all. In our protected forests, timber production and drainage ditches cause the demise of butterfly habitats," says Bjerregård.



"Secondly, Denmark's protected natural areas are small, isolated postage stamp parcels, whereas species require larger contiguous areas of nature, where populations are much less vulnerable to fluctuations in weather and climate as they are now. Today, for example, they can't just fly to a wetter place if there happens to be a drought."



The northern chequered skipper (Carterocephalus silvicola). Credit: Emil Blicher Bjerregård

The main solution does not hinge on reducing agriculture

Converting more agricultural land is not first priority, as the researchers point out.



"Many voices in <u>public debate</u> argue that the most important thing we can do for biodiversity is to reduce farmland area. It could be relevant in the long term, but it is extremely difficult to restore habitats from agricultural land. The most important thing right now is to take areas that are already formally protected and where species still live and enhance the quality of habitats by protecting them properly—that is, against all significant threats," says Bruun.

This includes activities like game management and sporting pursuits.

"Some people may be concerned about whether there is room for their horseback riding, mountain biking and orienteering. It is clear that we cannot make the areas wilder and enhance habitats for rare species without some people giving up their privileges," says Bruun.

"In Denmark, we needed to trade some nature to create wealth. I think that it has been a good deal. Our nature will never be as diverse as it was 200 years ago, but there is no reason to lose more than necessary. And right now, we're not doing things in the most efficient way. In fact, much could be achieved if we did things a bit smarter," says Bjerregård.

Bruun concludes, "No rare species are important for the material wellbeing of humans. But a world with only two <u>species</u> of butterflies rather than twenty or thirty is just much duller and poorer. At least, for me."

More information: Emil Blicher Bjerregård et al, Rapid and continuing regional decline of butterflies in eastern Denmark 1993-2019, *Biological Conservation* (2023). DOI: 10.1016/j.biocon.2023.110208

Provided by University of Copenhagen



Citation: Three out of four populations of rare butterflies in Eastern Denmark have been lost (2023, September 5) retrieved 22 May 2024 from <u>https://phys.org/news/2023-09-populations-rare-butterflies-eastern-denmark.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.