


## Simplifying the generation of threedimensional holographic displays

October 18 2023



Credit: CC0 Public Domain

Holograms that offer a three-dimensional (3D) view of objects provide a level of detail that is unattainable by regular two-dimensional (2D) images. Due to their ability to offer a realistic and immersive experience of 3D objects, holograms hold enormous potential for use in various fields, including medical imaging, manufacturing, and virtual reality.



Holograms are traditionally constructed by recording the threedimensional data of an object and the interactions of light with the object. However, this technique is computationally highly intensive as it requires the use of a special camera to capture the 3D images. This makes the generation of holograms challenging and limits their widespread use.

In recent times, many <u>deep-learning</u> methods have also been proposed for generating holograms. They can create holograms directly from the 3D data captured using RGB-D cameras that capture both color and depth information of an object. This approach circumvents many computational challenges associated with the conventional method and represents an easier approach for generating holograms.

Now, a team of researchers led by Professor Tomoyoshi Shimobaba of the Graduate School of Engineering, Chiba University, propose a novel approach based on deep learning that further streamlines hologram generation by producing 3D images directly from regular 2D color images captured using ordinary cameras.

Yoshiyuki Ishii and Tomoyoshi Ito of the Graduate School of Engineering, Chiba University were also a part of this study, which was <u>published</u> in *Optics and Lasers in Engineering*.

Explaining the rationale behind this study, Prof. Shimobaba says, "There are several problems in realizing <u>holographic displays</u>, including the acquisition of 3D data, the computational cost of <u>holograms</u>, and the transformation of hologram images to match the characteristics of a holographic display device. We undertook this study because we believe that deep learning has developed rapidly in recent years and has the potential to solve these problems."

The proposed approach employs three <u>deep neural networks</u> (DNNs) to



transform a regular 2D color image into data that can be used to display a 3D scene or object as a hologram.

The first DNN makes use of a color image captured using a regular camera as the input and then predicts the associated depth map, providing information about the 3D structure of the image.

Both the original RGB image and the depth map created by the first DNN are then utilized by the second DNN to generate a hologram. Finally, the third DNN refines the hologram generated by the second DNN, making it suitable for display on different devices.

The researchers found that the time taken by the proposed approach to process data and generate a hologram was superior to that of a state-ofthe-art graphics processing unit.

"Another noteworthy benefit of our approach is that the reproduced image of the final hologram can represent a natural 3D reproduced image. Moreover, since depth information is not used during hologram generation, this approach is inexpensive and does not require 3D imaging devices such as RGB-D cameras after training," adds Prof. Shimobaba.

In the near future, this approach can find potential applications in headsup and head-mounted displays for generating high-fidelity 3D displays. Likewise, it can revolutionize the generation of an in-vehicle holographic head-up display, which may be able to present the necessary information on people, roads, and signs to passengers in 3D.

The proposed approach is thus expected to pave the way for augmenting the development of ubiquitous holographic technology.

More information: Yoshiyuki Ishii et al, Multi-depth hologram



generation from two-dimensional images by deep learning, *Optics and Lasers in Engineering* (2023). DOI: 10.1016/j.optlaseng.2023.107758

Provided by Chiba University

Citation: Simplifying the generation of three-dimensional holographic displays (2023, October 18) retrieved 29 April 2024 from <u>https://phys.org/news/2023-10-generation-three-dimensional-holographic-displays.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.