

A self-wrinkling coating for impact resistance and mechanical enhancement

October 12 2023



(a) Schematic for the fabrication of photo-curing self-wrinkling surface coating.(b) The surface morphology of the obtained coating.(c) The mechanism of the impact resistance of this coating. Credit: Science China Press

Polymer coating is widely used as a protective layer in various fields



such as surface anti-corrosion, anti-penetration and anti-impact. How to enhance the mechanical properties of coatings such as impact resistance is important but challenging, under the condition of the existing materials systems and processes.

Inspired by natural organisms' bottom-up fabrication and energy dissipation mechanisms, researchers considered four critical factors in material design (chemical composition, nano/microstructure, architecture and manufacturing techniques). They developed a selfwrinkled photo-curing coating, comprising a microphase-separated structure with a gradient cross-linked architecture, as protective materials.

The self-wrinkled surface morphology induced by photo-polymerization and the intrinsic gradient architecture generated by gradient cross-linked polymer networks are critical factors for energy dissipation and impact resistance of the cured coating, providing mechanically enhanced characteristics, which was verified both theoretically and experimentally.





(a-b) The schematic surface coating, surface morphology of the self-wrinkling photo-curing coating.(c) The mechanism of surface microphase separation of the coating surface during heating and UV irradiation. (d-f) Verification of the gradient cross-linked structure of the self-wrinkling photo-curing coating. Credit: Science China Press



(a) The digital images of the glass substrates coated with different surface coating after crumbling impacted by falling ball. (b) The maximum impact force $(IF_{\rm max})$ -height curves of pure glass substrate coated with different surface coating. (c) Simulation of anti-impact properties of different surface coating for glass substrates. Credit: Science China Press



Compared with the highly sophisticated tools (i.e., molding, nano-/microimprinting, <u>laser ablation</u> and soft lithography) this self-wrinkled coating was fabricated through the same one-step approach as the conventional photo-curing coating, opening up new possibilities for photo-curing coatings.

The work is **published** in the journal *Science Bulletin*.

More information: Jin Li et al, Self-wrinkling coating for impact resistance and mechanical enhancement, *Science Bulletin* (2023). DOI: 10.1016/j.scib.2023.08.021

Provided by Science China Press

Citation: A self-wrinkling coating for impact resistance and mechanical enhancement (2023, October 12) retrieved 14 May 2024 from <u>https://phys.org/news/2023-10-self-wrinkling-coating-impact-resistance-mechanical.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.