

## The underappreciated role of pods and siliques to developing seeds

October 30 2023



Illustration highlighting potential routes to supply nutrients for oilseed metabolism. Green leaves and pod walls function as source tissues for filling seeds. Credit: *Science Advances* (2022). DOI: 10.1126/sciadv.abo7683



Plants harness energy from sunlight and carbon dioxide through a process called photosynthesis which supports the generation of carbohydrates, proteins, and oils that are stored in seeds—like a kernel of corn, a soybean, or a grain of rice. Seeds are a critical resource for humans as food, fodder, and fuel.

Under the direction of Doug Allen, Ph.D., USDA-Agricultural Research Service scientist and member at the Danforth Center, a team of scientists led by Somnath Koley, Ph.D., research scientist at the Danforth Center, discovered that the pods, sometimes called siliques, which serve as protective coverings surrounding developing <u>seeds</u>, play an underappreciated and significant role in photosynthesis, supporting seed development and higher seed yield.

Their findings challenge the misconception that leaves are solely responsible for capturing light and <u>carbon dioxide</u> in plants. This work was <u>published</u> in the journal *Science Advances*, titled, "Metabolic synergy in reproductive tissues for seed development."

The researchers were inspired to examine the role of siliques in plants after observing their bright green hues and elevated position at the top of the plant. Unlike leaves, many of which start to wither as the plant develops, siliques are green and have a significant surface area exposed to sunlight during the time that seeds are filling.

Their unique positioning at the top of the plant allows the siliques unimpeded access to sunlight, which can power the assimilation of carbon dioxide from the atmosphere. Their innately <u>close proximity</u> to developing seeds provides a targeted source of carbon for seed development.

"One of the most exciting takeaways from this study," Dr. Koley noted, "is the unexplored photosynthetic potential of green siliques and their



contribution to plant productivity." The ability to enhance the photosynthetic capacity of different tissues on the plant that are exposed to sunlight could potentially lead to higher seed yields, improving crop productivity, a promising implication for the agricultural industry.

Indeed, the findings of this study open the doors to explore phenomena in other crops that are similar to , such as canola, pennycress, or soybean, some of which have documented roles for 'green' metabolism within the seed itself.

The findings support an additional temporal synergy between the timing of photosynthetic activity in the silique and the process of seed filling. "The siliques' temporal development immediately prior to seeds and close proximity provide a focused, just-in-time delivery system of nutrients to the seeds contained within," Dr. Allen pointed out, "in the latter part of the plant's lifecycle when the seeds need nutrients to fill, thus describing an undocumented synergy across tissues."

In other words, the siliques are fueling growth exactly when and where it is needed by seeds.

This research was a <u>collaborative effort</u> enabled by the Danforth Center community and its exceptional facilities. Dr. Koley and Dr. Allen recognized the research contributions from Advanced Bioimaging Laboratory, including co-authors Kirk Czymmek, Ph.D. and Anastasiya Klebanovych, Ph.D. One idea conceived by Dr. Cyzmmek was to add <u>fluorescent dye</u> to confirm transport of substances between the outer pod wall and the <u>seed</u>.

"Pictures are often worth more than a thousand words in the pursuit of a scientific hypothesis," Dr. Allen continued, "and the imaging approach provided an early indication that our ideas were reasonable and supported more quantitative experimental efforts."



In addition, the Proteomics and Mass Spectrometry facility and the Plant Growth Facility teams were instrumental in the work, and the accomplishments were a direct reflection of effective collaboration between the Danforth Center and USDA-ARS.

**More information:** Somnath Koley et al, Metabolic synergy in Camelina reproductive tissues for seed development, *Science Advances* (2022). DOI: 10.1126/sciadv.abo7683

## Provided by Donald Danforth Plant Science Center

Citation: The underappreciated role of pods and siliques to developing seeds (2023, October 30) retrieved 9 May 2024 from https://phys.org/news/2023-10-underappreciated-role-pods-siliques-seeds.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.