

New study sheds light on Adélie penguins' reliance on declining sea ice during molt

November 6 2023



Adelie Penguins on seasonal sea ice in Antarctica. Credit: Annie Schmidt/Point Blue

A study published in the *Proceedings of the National Academy of Sciences* underscores the pivotal role that seasonal Antarctic sea ice plays

in the annual molting periods of Adélie penguins.

Despite the relatively large amount of sea ice still available in the Ross Sea, researchers have discovered a potential bottleneck in the penguins' annual cycle, which could be exacerbated as the climate continues to change.

Unlike most penguin species, the majority of Adélie penguins are thought to carry out their annual molt (when they replace all their feathers to prepare for the long winter) on sea ice, away from breeding colonies, making this period challenging for researchers to study.

This study, led by Dr. Annie Schmidt of Point Blue Conservation Science in Petaluma, California, utilized data from geolocating dive recorders deployed year-round on 195 adult penguins in the Ross Sea from 2017–2019. The resulting data enable the researchers to identify extended gaps in post-breeding diving activity, signaling the molting period.



Adelie Penguins on seasonal sea ice in Antarctica. Credit: Annie Schmidt/Point Blue



Adelie Penguins on seasonal sea ice in Antarctica. Credit: Annie Schmidt/Point Blue

Location data pinpointed two key molting areas. Satellite-based remote sensing data revealed that sea ice concentration during the molting period in the molting areas was notably low over the past five years, and has declined in the primary molting area since 1980.

Another significant finding was the positive correlation between annual return rates of penguins to breeding colonies and sea ice concentration in molting areas over the past 20 years; 2.4% to 4.8% fewer penguins returned with every 10% drop in sea ice concentration in the molting areas. This underscores the potential challenges penguins might face in the light of changing [climate conditions](#).



Adelie Penguins on seasonal sea ice in Antarctica. Credit: Annie Schmidt/Point Blue



Adelie Penguins on seasonal sea ice in Antarctica. Credit: Annie Schmidt/Point

Blue

"Our research sheds light on a facet of Adélie penguin's life that was previously underappreciated," stated Schmidt. "Understanding the intricate relationships between the environment, particularly sea ice, and all phases of the penguin's annual cycle is crucial, especially in the context of rapid climate change."

The research not only brings attention to the survival strategies of Adélie penguins but also emphasizes the broader implications of [climate](#) change on Antarctic ecosystems.

More information: Schmidt, Annie E. et al, Sea ice concentration decline in an important Adélie penguin molt area, *Proceedings of the National Academy of Sciences* (2023). [DOI: 10.1073/pnas.2306840120](https://doi.org/10.1073/pnas.2306840120). doi.org/10.1073/pnas.2306840120

Provided by Point Blue Conservation Science

Citation: New study sheds light on Adélie penguins' reliance on declining sea ice during molt (2023, November 6) retrieved 2 May 2024 from <https://phys.org/news/2023-11-adlie-penguins-reliance-declining-sea.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.