

New bottlenose dolphin sense discovered: Research suggests they can feel weak electric fields

November 30 2023



Credit: Pixabay/CC0 Public Domain

Born tail first, bottlenose dolphin calves emerge equipped with two slender rows of whiskers along their beak-like snouts—much like the

touch-sensitive whiskers of seals. But the whiskers fall out soon after birth, leaving the youngster with a series of dimples known as vibrissal pits. Recently, Tim Hüttner and Guido Dehnhardt, from the University of Rostock, Germany, began to suspect that the dimples may be more than just a relic.

Could they allow adult bottlenose dolphins to sense weak electric fields?

Taking an initial close look, they realized that the remnant pits resemble the structures that allow sharks to detect electric fields, and when they checked whether captive bottlenose dolphins could sense an electric field in water, all of the animals felt the field. "It was very impressive to see," says Dehnhardt, who published the extraordinary discovery and how the animals could use their electric sense in the *Journal of Experimental Biology*.

To find out how sensitive bottlenose dolphins are to the electric fields produced by lifeforms in water, Dehnhardt and Hüttner teamed up with Lorenzo von Fersen at Nuremberg Zoo and Lars Miersch at the University of Rostock. First, they tested the sensitivity of two [bottlenose dolphins](#), Donna and Dolly, to different electric fields to find out whether the dolphins could detect a fish buried in the sandy sea floor.

After training each animal to rest its jaw on a submerged metal bar, Hüttner, Armin Fritz (Nuremberg Zoo), and an army of colleagues taught the dolphins to swim away within 5 seconds of feeling an electric field produced by electrodes immediately above the dolphin's snout.

Gradually decreasing the electric field from 500 to $2\mu\text{V}/\text{cm}$, the team kept track of how often the dolphins departed on cue and were impressed; Donna and Dolly were equally sensitive to the strongest fields, exiting correctly almost every time. It was only when the electric fields became weaker that it became evident that Donna was slightly

more sensitive, sensing fields that were $2.4\mu\text{V}/\text{cm}$, while Dolly became aware of fields of $5.5\mu\text{V}/\text{cm}$.

However, the electric fields produced by living animals aren't just static. The pulsing movements of fish gills cause their electric fields to fluctuate, so could Donna and Dolly sense pulsing fields as well? This time, the team pulsed the electric fields 1, 5, and 25 times per second while reducing the field strength, and sure enough, the dolphins could sense the fields.

However, neither of the animals was as sensitive to the alternating fields as they were to the unvarying electric fields. Dolly could only pick up the slowest field at $28.9\mu\text{V}/\text{cm}$, while Donna picked up all three of the oscillating fields, sensing the slowest at $11.7\mu\text{V}/\text{cm}$.

So what does this new super sense mean for dolphins in practice? Dehnhardt says, "The sensitivity to weak electric fields helps a dolphin search for fish hidden in sediment over the last few centimeters before snapping them up," in contrast to sharks, the electrosensitive superstars, which are capable of sensing the electric fields of fish within 30–70cm. Hüttner and Dehnhardt also suspect that the dolphin's ability to feel electricity could help them on a larger scale.

"This sensory ability can also be used to explain the orientation of toothed whales to the [earth's magnetic field](#)," says Dehnhardt, explaining that dolphins swimming through weak areas of the earth's [magnetic field](#) at a normal speed of 10m/s could generate a detectable [electric field](#) of $2.5\mu\text{V}/\text{cm}$ across their body. And, if the [animals](#) swim faster, they are even more likely to sense the planet's magnetic field, allowing them to use their electric sense to navigate the globe by magnetic map.

More information: Tim Hüttner et al, Passive electroreception in bottlenose dolphins (*Tursiops truncatus*): implication for micro- and

large-scale orientation, *Journal of Experimental Biology* (2023). [DOI: 10.1242/jeb.246907](https://doi.org/10.1242/jeb.246907)

Provided by The Company of Biologists

Citation: New bottlenose dolphin sense discovered: Research suggests they can feel weak electric fields (2023, November 30) retrieved 27 April 2024 from <https://phys.org/news/2023-11-bottlenose-dolphin-weak-electric-fields.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.