


Researchers obtain evidence for nanoflares heating coronal loops

November 14 2023, by Li Yuan



Evolution of the braiding strands on 5 January 2012 (Event 1). Credit: *Astronomy & Astrophysics* (2023). DOI: 10.1051/0004-6361/202346944

Researchers from Yunnan Observatories of the Chinese Academy of Sciences have demonstrated the evolution of separated strands within the apparent single coronal loops observed in Atmospheric Imaging Assembly (AIA) images.

This work was published in [Astronomy & Astrophysics](#) on Oct. 30.

Theoretically, both wave heating and reconnection-type heating could contribute to the heating of [coronal loops](#), especially the warm loops at temperatures around 1–1.5 MK, which are ubiquitous, long-lived, and seemingly stable in the corona.

However, there is still no observation showing the exchange of segments and footpoints of the braiding structures within coronal loops, which is expected to be the morphological [evolution](#) of the reconnected magnetic bundles, as implied by the pictures of nanoflare.

In this study, the researchers developed a [machine learning](#) (ML) model to upscale and enhance the uninterrupted full-disk AIA images to match the simultaneous images taken by High-resolution Coronal Imager (Hi-C) during its brief flight. The AIA images enhanced by the ML model resolved some substructures braiding with each other in what appear to be single AIA structure.

In particular, the pairs of braiding [loop](#) strands were found to evolve to two parallel ones accompanied by impulsive heating in their footpoints, supporting the conclusion that the interaction between the ML-resolved substructures produced a nanoflare.

The ML algorithm proposed in this study is powerful enough to reveal the substructures at the scale of one pixel in an image with relatively low resolution.

More information: Yi Bi et al, Morphological evidence for nanoflares heating warm loops in the solar corona, *Astronomy & Astrophysics* (2023). [DOI: 10.1051/0004-6361/202346944](https://doi.org/10.1051/0004-6361/202346944)

Provided by Chinese Academy of Sciences

Citation: Researchers obtain evidence for nanoflares heating coronal loops (2023, November 14) retrieved 3 May 2024 from <https://phys.org/news/2023-11-evidence-nanoflares-coronal-loops.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.