

Golden Retriever Lifetime Study data uncovers potential connection between sterilization, hemangiosarcoma

November 2 2023



Hemangiosarcoma is a particularly deadly cancer, with roughly 90% of dogs dead within one year of diagnosis. A new scientific analysis notes a potential correlation between canine sterilization and the development of this fatal disease. Credit: Kaitlyn Ahnert

A scientific analysis published in <u>Veterinary and Comparative Oncology</u> using Golden Retriever Lifetime Study data notes a potential correlation between canine sterilization and hemangiosarcoma development. This startling finding has been previously suggested by experts, but still is poorly understood.



The authors note that the likelihood of diagnosing hemangiosarcoma appears consistently low across all sexes and neutering statuses until about eight years of age. Beyond this point, intact and neutered male dogs face a similar risk of contracting the disease. Interestingly, the probability of diagnosis for intact females consistently remains lower than any other sex/neutering status. Meanwhile, the likelihood of diagnosis in spayed females increases.

Hemangiosarcoma is the most common cancer diagnosed in the Golden Retriever Lifetime Study cohort. It is a particularly deadly cancer, with roughly 90% of dogs dead within one year of diagnosis. Few dogs survive longer than two years, even with aggressive therapy.

Dr. Alison Hillman, a researcher involved in the study and a Senior Epidemiology Consultant at Ausvet, emphasized the need for further exploration into the potential correlation between canine cancer and sterilization, urging the inclusion of more data from older dogs. Furthermore, she added that continued analysis honing in on the link between hemangiosarcoma and <u>sterilization</u> will provide more insight into potential causative factors.

"This information may also be of value in the context of translational research, as hemangiosarcoma is rare in humans and thus difficult to study," Hillman said. "Lessons learned through research in dogs may inform prioritization of investigations in humans, given the similarity between dogs and humans regarding the clinical and pathological features of this tumor, and the relative similarity in genetics between the two species as compared to, for example, mice and humans."

"Thanks to the availability of data from the Golden Retriever Lifetime Study through Morris Animal Foundation's Data Commons, analyses like these are possible," said Kathy Tietje, the Foundation's Chief Program Officer, who was also involved in the project.



"This analysis serves as a fundamental research tool, with potential for further use by other scientists to generate hypotheses and design their own studies," she added. "It also underscores the immense value of the Study's resources for scientists actively engaged in this field."

More information: Alison Hillman et al, Descriptive analysis of haemangiosarcoma occurrence in dogs enrolled in the Golden Retriever lifetime study, *Veterinary and Comparative Oncology* (2023). DOI: 10.1111/vco.12933

Provided by Morris Animal Foundation

Citation: Golden Retriever Lifetime Study data uncovers potential connection between sterilization, hemangiosarcoma (2023, November 2) retrieved 14 May 2024 from <u>https://phys.org/news/2023-11-golden-lifetime-uncovers-potential-sterilization.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.