

New study highlights need to address risk of continued global warming after net zero

November 14 2023



Current climate models carry high uncertainty. Credit: Palazzo Corner et al/Frontiers

From scorching heat waves to torrential downpours and devastating storms, the disastrous effects of global warming are sweeping across the world. Considering the predicted outcome of burning fossil fuels, our best and only plan to limit warming is to reduce CO_2 emissions from human activities to "net zero"—where the amount of CO_2 we emit into



the atmosphere is equal to the amount we remove from it. To keep within the 1.5°C limit of the 2015 Paris Agreement, this must happen as soon as possible.

Though the scientific community's current best estimate from models is that <u>global warming</u> will stop at net zero, an article published in <u>Frontiers</u> <u>in Science</u> raises a red flag.

"These estimates come with substantial uncertainty, meaning there is a non-negligible chance that global warming will continue after net zero and intensify dangerous climate change," said Prof Joeri Rogelj at Imperial College London and one of the international team of authors. "Worldwide emissions reduction plans overlook this important risk, which should be urgently addressed at COP28."

The article presents the first comprehensive analysis of the many factors controlling <u>global temperatures</u> and provides a framework for improving warming predictions. "Our analysis identifies the levers of global warming after net zero, and explains why current estimates are so uncertain," said lead author Sofia Palazzo Corner, also of Imperial College London.

"The potential of future climate risks in a net zero world makes the need to limit our initial disturbance to the planet even more imperative," she added. "Crucially for policy, a world that expects warming to continue after net zero will have an even smaller carbon budget to keep total warming below 1.5°C."

Prof Michael Mann at the University of Pennsylvania said that despite its alarming message on the prospect of continued global warming, this study offers hope. "It reminds us that the obstacles to <u>climate action</u> are neither physical nor technological. At this point, they remain political. And history teaches us that political obstacles can be overcome," he



wrote in an editorial accompanying the article, also published in *Frontiers in Science*.



Our remaining carbon budget may be smaller than we think. Credit: Palazzo Corner et al/Frontiers

Why would global warming continue in a net zero world?

Global temperatures are regulated by multiple natural processes and feedbacks in the oceans, land, and atmosphere. CO_2 emissions have influenced many of these, triggering long-term changes which could last for centuries after net zero is reached.

"The melting of ice in <u>polar regions</u> is one example," explained Prof Martin Siegert of the University of Exeter, another of the study's



authors. "As we have observed in the Arctic Ocean, and <u>recently in the</u> <u>Antarctic</u>, a <u>thin layer</u> of floating ice helps reduce global temperatures by reflecting the sun's energy back into space. However, once this ice melts this reflection is replaced by absorption of solar energy, which drives temperatures even higher."

Even current climate models show these processes could cause significant warming after net zero—with an estimated 1 in 6 chance this warming could exceed 15% of total global warming. This means that if global temperatures have risen by 2°C at the point we reach net zero, the final temperature change could be above 2.3°C.

"Warming of this magnitude would worsen major climate risks to communities across the world, and particularly in the most vulnerable regions," said Siegert.



The Earth will continue changing even if global warming stops. Credit: Palazzo



Corner et al/Frontiers

Toward a better understanding of future global warming risk

Despite persistent progress in the field, exploring the full range of climate change risks is challenging. Models are already very expensive to run and every added process further increases the computational burden.

"We need a <u>collaborative effort</u> between diverse climate experts to develop a suite of scientific tools that allow us to more deeply explore and understand the level of global warming we can expect. Our study takes the first step by mapping all processes that affect global temperatures and estimating their impact across millennia," said Rogelj.

The international team—which additionally includes researchers from the Lawrence Berkeley National Laboratory, Melbourne University, and the Max Plank Institute—identified 26 distinct processes, of which more than half could drive significant warming.

One example is a decline in land carbon uptake. Plants are important mitigators of global temperatures since they use CO_2 during photosynthesis. But other climate processes, such as changing rainfall patterns, droughts, and heat waves, can reduce the efficacy of this "carbon sink."

"We have drawn on expertise across climate science to build a catalog of processes that could affect global temperatures in a net zero world, but we need to better understand their potential impact. We propose a set of key research activities to reduce this uncertainty and improve warming predictions as quickly as possible," said Palazzo Corner.





Next steps to understand future global warming risk. Credit: Palazzo Corner et al/Frontiers

We must reach net zero CO₂ as soon as possible

The study's take-home message is that the future is more uncertain than we think, and so we must adjust our climate mitigation policies to prevent further warming after net zero.

"We are working on building better models, but should not wait until they are perfect before we act. We must take a precautionary approach and drastically reduce emissions now with the goal of achieving net zero CO_2 as soon as possible and preventing climate harm to future generations," warned Rogelj.



"Even if global warming did stop at net zero, we must remember that once started, some processes will continue for centuries," Siegert added. "Sea-level rise for decades after net zero is an example we must plan for, but there may be others that require further analysis. By urgently cutting emissions we can prevent future risks."

The article is part of the *Frontiers in Science* multimedia article hub "Global warming after net zero CO_2 ." The hub features editorials, viewpoints, and policy outlooks from other eminent experts, including: Michael Mann, University of Pennsylvania, U.S.; and H Damon Matthews, Concordia University, Canada.

More information: The Zero Emissions Commitment and climate stabilization, *Frontiers in Science* (2023). <u>DOI:</u> <u>10.3389/fsci.2023.1170744</u>. <u>www.frontiersin.org/journals/s ...</u> <u>ci.2023.1170744/full</u>

Provided by Frontiers

Citation: New study highlights need to address risk of continued global warming after net zero (2023, November 14) retrieved 12 May 2024 from <u>https://phys.org/news/2023-11-highlights-global-net.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.