


Libyan desert's yellow glass: How we discovered the origin of these rare and mysterious shards

November 21 2023, by Elizaveta Kovaleva



— [Great Sand Sea]

Credit: The Conversation

The [Great Sand Sea Desert](#) stretches over an area of 72,000km² linking

Egypt and Libya. If you find yourself in a particular part of the desert in south-east Libya and south-western parts of Egypt, you'll spot pieces of yellow glass scattered across the sandy landscape.

It was first described in [a scientific paper in 1933](#) and is known as [Libyan desert glass](#). Mineral collectors value it for its beauty, its relative rarity—and its mystery. A pendant found in Egyptian pharaoh Tutankhamun's tomb [contains a piece of the glass](#). Natural glasses are found elsewhere in the world; examples include moldavites from the Ries crater in Europe and [tektites from the Ivory Coast](#). But none are as rich in silica as Libyan desert glass, nor are they found in such large lumps and quantities.

The origin of the glass has been [the subject of debate](#) among scientists for almost a century. Some suggested it might be from [volcanoes on the moon](#). Others propose it's the product of lightning strikes ("[fulgurites](#)"—glass that forms from fusion of sand and soil where they are hit by lightning). Other theories suggest it's the result of sedimentary or [hydrothermal processes](#); caused by a massive explosion of a meteor in the air; or [that it came from a nearby meteorite crater](#).

Now, thanks to advanced microscopy technology, we believe we have the answer. Along with colleagues from universities and science centers in Germany, Egypt, and Morocco, I [have identified](#) Libyan desert glass as originating from the impact of a meteorite on the Earth's surface.

Space collisions are a primary process in the solar system, as planets and their natural satellites accreted via the asteroids and planet embryos (also called planetesimals) colliding with each other. These impacts helped our planet to assemble, too.

Under the microscope

In 1996 scientists determined that the glass was close to [29 million years old](#). A [later study](#) suggested the source material was composed of quartz grains coated with mixed clay minerals and iron and titanium oxides.

This latter finding raised more questions since the proposed age is older than the matching source material in the relevant area of the Great Sand Sea desert. To put it simply, those source materials didn't exist in that location 29 million years ago.

For our recent study, a co-author obtained two pieces of glass from a local who had collected them in the Al Jaouf region in south-eastern Libya.

We studied the samples with a state-of-the-art transmission electron microscopy (TEM) technique, which allows us to see tiny particles of material—20,000 times smaller than the thickness of a paper sheet. Using this super-high magnification technique, we found small minerals in this glass: different types of zirconium oxide (ZrO_2).

Minerals are composed of [chemical elements](#), atoms of which form regular three-dimensional packaging. Imagine putting eggs or soda bottles on the shelf of a supermarket: layers on top of layers to ensure the most efficient storage. Similarly, atoms assemble into a crystal lattice that is unique for each mineral. Minerals that have the same [chemical composition](#) but different atomic structures (different ways of atom packaging into the [crystal lattice](#)) are called polymorphs.

One polymorph of ZrO_2 that we observed in Libyan desert glass is called cubic zirconia—the kind seen in some jewelry as a synthetic replacement for diamonds. This mineral can only form at a high temperature between $2,250^\circ\text{C}$ and $2,700^\circ\text{C}$.

Another polymorph of ZrO_2 that we observed was a very rare one called

ortho-II or OII. It forms at very high pressure—about 130,000 atmospheres, a unit of pressure.

Such pressure and temperature conditions provided us with the proof for the meteorite impact origin of the glass. That's because such conditions can only be obtained in the Earth's crust by a meteorite impact or the explosion of an atomic bomb.

More mysteries to solve

If our finding is correct (and we believe it is), the parental crater—where the meteorite hit the Earth's surface—should be somewhere nearby. The nearest known meteorite craters, named GP and Oasis, are 2km and 18km in diameter respectively, and quite far away from where the glass we tested was found. They are too far and too small to be considered the parental craters for such massive amounts of impact glass, all concentrated in one spot.

So, while we've solved part of the mystery, more questions remain. Where is the parental crater? How big is it—and where is it? Could it have been eroded, deformed, or covered by sand? More investigations will be required, likely in the form of remote sensing studies coupled with geophysics.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Libyan desert's yellow glass: How we discovered the origin of these rare and mysterious shards (2023, November 21) retrieved 28 April 2024 from <https://phys.org/news/2023-11-libyan-yellow-glass-rare-mysterious.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.