

## Penguins snatch 11 hours of sleep through seconds-long micronaps

November 30 2023, by Issam AHMED



Chinstrap penguins (Pygoscelis antarcticus), named for the thin black band of plummage that extends from ear to ear, may be the most abundant species of penguin.

In humans, nodding off for a few seconds is a clear sign of insufficient sleep—and can be dangerous in some situations, such as when driving a



car.

But a new study published on Thursday finds chinstrap penguins snooze thousands of times per day, accumulating their daily sleep requirement of more than 11 hours in short bursts averaging just four seconds.

The flightless birds might have evolved this trait because of their need to remain constantly vigilant, according to the authors of the paper in *Science*.

The researchers argued that the findings show, contrary to prior assumptions, the benefits of sleep can accrue incrementally, at least in some species.

Chinstrap penguins (Pygoscelis antarcticus), named for the thin black band of plumage that extends from ear to ear, may be the most abundant species of penguin. Their current population is estimated at nearly eight million breeding pairs that are found mainly on the Antarctic Peninsula and South Atlantic Ocean islands.

When nesting, single parent penguins have to keep watch over their eggs, guarding them from predatory birds called skuas while their partners are away on foraging trips that last several days.

They also have to defend their nests from other penguins that might try to steal nest material. Once a penguin partner finally returns, the couple switch roles.

A team led by Paul-Antoine Libourel of Lyon Neuroscience Research Centre implanted electrodes on 14 birds at a colony on King George Island in December 2019. They recorded electrical activity in the brain and neck muscles, and they used accelerometers and GPS to study body movement and location.



Combined with video recordings and direct observation over multiple days, they were able to identify numerous peculiarities.

The penguins' sleep occurred while standing or while lying to incubate their eggs, with the average bout lasting 3.91 seconds. In total they slept more than 10,000 times a day.

Penguins on the periphery got longer and deeper bouts of sleep than those in the center—which can be explained by the excess noise and physical bumping that occurs in the middle of a colony, or the heightened risk of nest material theft.

Although the scientists did not directly measure whether the birds were gaining the restorative benefits of sleep, the fact the penguins were successful at breeding led them to believe this was indeed the case, with the moments of neuronal silence providing windows for rest and recovery.

In humans, however, conditions that fragment sleep such as sleep apnea have impacts on cognitive function and might even precipitate neurodegenerative disease, such as Alzheimer's.

"Thus, what is abnormal in humans could be perfectly normal in birds or other animals, at least under certain conditions," wrote scientists Christian Harding and Vladyslav Vyazovskiy in a related commentary piece.

**More information:** P.-A. Libourel et al, Nesting chinstrap penguins accrue large quantities of sleep through seconds-long microsleeps, *Science* (2023). DOI: 10.1126/science.adh0771

Christian D. Harding et al, Penguins snatch seconds-long microsleeps, *Science* (2023). DOI: 10.1126/science.adl2398



## © 2023 AFP

Citation: Penguins snatch 11 hours of sleep through seconds-long micronaps (2023, November 30) retrieved 16 June 2024 from <u>https://phys.org/news/2023-11-penguins-hours-seconds-long-micronaps.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.