


Physicists discover molecule-like structure of nuclear ground state

November 28 2023, by Liu Jia



Schematic view of the cluster knockout reaction in inverse kinematics. Credit: Li Pengjie


Scientists from the Institute of Modern Physics (IMP) of the Chinese Academy of Sciences (CAS), along with their collaborators, have recently discovered a molecular-type structure in the ground state of atomic nuclei. The study was [published](#) in *Physical Review Letters*.

The [atomic nucleus](#), a quantum many-body system composed of protons and neutrons, is incredibly small (only about one-ten-thousandth the size of an atom), but it houses more than 99.9% of an atom's total mass. Interactions between nucleons create various intriguing nuclear structures, ranging from spherical to deformed nuclei and even neutron

halos with sparse surface density. The emergence of cluster structures within these formations is a captivating phenomenon.

Cluster structures are rarely seen in the ground state of atomic nuclei. Discussions on ground-state cluster structures can be traced back to 1938 when [theoretical physicists](#), through the analysis of binding energies in α -conjugate nuclei, suggested the possible existence of α -molecule-like cluster structures in the ground states of nuclei such as beryllium-8, carbon-12, and oxygen-16. However, due to the popularity of the classical shell model's single-particle description, this theoretical hypothesis remained unverified.

Using a novel experimental method involving the inverse kinematics knockout reaction, scientists from IMP and their collaborators have validated the presence of a molecular-type structure in the ground state of beryllium-10, a neutron-rich nucleus.



Molecular-like structure of the beryllium-10 nucleus. Credit: Li Pengjie

The experiment was conducted at the Radioactive Isotope Beam Factory (RIBF) at the RIKEN Nishina Center in Japan. In the experiment, a secondary beam of beryllium-10, traveling at half the speed of light, bombarded a 2-millimeter-thick solid hydrogen target. The α -clusters bound within beryllium-10 nuclei were knocked out by protons—with almost no momentum transferred to the residual nucleus—thus preserving information about the cluster structure in the ground state of beryllium-10.

The experimental results demonstrated a remarkable agreement between the experimental cross-sections of knockout reactions and theoretical predictions under microscopic models. This verification supports the long-standing hypothesis regarding the molecular-state structure of beryllium-10's ground state, suggesting the formation of an α - α dumbbell-shaped core with two valence neutrons rotating perpendicular to the core axis.

"Similar structures can be found on the atomic scale, but they are exceptionally rare in the ground state of atomic nuclei," said Dr. Li Pengjie from IMP, first author of the paper.

This study provides the first experimental evidence for the theoretical description of molecular-state structures in the ground state of atomic [nuclei](#) and paves the way for further exploration of the evolution of α -cluster structures in neutron-rich nuclear ground states.

More information: P. J. Li et al, Validation of the Be10 Ground-State Molecular Structure Using Be10(p,p α)He6 Triple Differential Reaction Cross-Section Measurements, *Physical Review Letters* (2023). [DOI: 10.1103/PhysRevLett.131.212501](https://doi.org/10.1103/PhysRevLett.131.212501)

Provided by Chinese Academy of Sciences

Citation: Physicists discover molecule-like structure of nuclear ground state (2023, November 28) retrieved 29 April 2024 from <https://phys.org/news/2023-11-physicists-molecule-like-nuclear-ground-state.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.