


Astronomers detect new pulsar wind nebula and its associated pulsar

December 26 2023, by Tomasz Nowakowski



Composite image of the Galactic plane region and Potoroo, with the red layer showing the ASKAP total intensity image at 1368 MHz, and the green and blue layers representing WISE infrared images at 12 μ m and 22 μ m respectively. Known Galactic SNRs are indicated by red circles (Green, 2019, 2022), while known Galactic HII regions are marked by green circles (Anderson et al., 2014).



The box highlights the section of deep interest. The inset is the ASKAP zoomed-in image showing Potoroo where a red cross marks the position of the X-ray source, while a red dashed line is Potoroo's axis of symmetry, which corresponds to the tail length studied in this paper. Credit: *arXiv* (2023). DOI: 10.48550/arxiv.2312.06961

Astronomers from the Western Sydney University in Australia and elsewhere report the detection of a new pulsar wind nebula and a pulsar that powers it. The discovery, presented in a paper <u>published</u> Dec. 12 on the pre-print server *arXiv*, was made using the Australian Square Kilometer Array Pathfinder (ASKAP), as well as MeerKAT and Parkes radio telescopes.

Pulsar wind nebulae (PWNe) are nebulae powered by the wind of a <u>pulsar</u>. Pulsar wind is composed of charged particles; when it collides with the <u>pulsar</u>'s surroundings, in particular with the slowly expanding supernova ejecta, it develops a PWN.

Particles in PWNe lose their energy to radiation and become less energetic with distance from the central pulsar. Multiwavelength studies of these objects, including X-ray observations, especially using spatially-integrated spectra in the X-ray band, have the potential to uncover important information about particle flow in these nebulae. This could unveil important insights into the nature of PWNe in general.

Now, a team of <u>astronomers</u> led by Western Sydney University's Sanja Lazarević has found a new pulsar wind nebula in radio-continuum surveys obtained from ASKAP and MeerKAT. They dubbed the new PWN "Potoroo," after a small marsupial native to Australia.

Next, using the Parkes Ultra-Wideband Low (UWL) frequency receiver



system, they detected the pulsar candidate, which received designation PSR J1638–4713. Further observations of PSR J1638–4713 confirmed that it powers the Potoroo.

The observations show that Potoroo exhibits distinctive cometary morphology in both radio and X-ray band. This suggests that the pulsar leads the PWN and travels supersonically through the ambient medium.

"For the pulsars that are propelled through the ambient medium at supersonic velocities, the resulting ram pressure transforms the PWN into a bow-shock. This process confines the pulsar wind in the opposite direction to that of the pulsar motion, forming a cometary-like shaped tail," the authors of the paper explained.

According to the study, Potoroo is located at a distance of at least 32,500 light years, has a radio size of about 68.5 light years, while its X-ray size appears to be 10 times smaller. Therefore, Potoroo has the longest PWN radio trails known to date.

The results indicate that Potoroo has an unusually steep overall radio spectrum—at a level of -1.27. This is below the typical values for the known PWNe. The <u>astronomers</u> suppose that such a steep overall spectral index may be due to the interaction of the parent supernova reverse shock with the PWN.

When it comes to PSR J1638–4713, it has a <u>spin period</u> of 65.74 milliseconds and a dispersion measure of 1,553 pc/cm³—the second highest among all known radio pulsars. The observations found that PSR J1638–4713 is a young <u>pulsar</u> (with a characteristic age of 24,000 years), has a high spin-down luminosity, and a large projected velocity, exceeding 1,000 km/s.

More information: Sanja Lazarević et al, Fast as Potoroo: Radio



Continuum Detection of a Bow-Shock Pulsar Wind Nebula Powered by Pulsar J1638-4713, *arXiv* (2023). DOI: 10.48550/arxiv.2312.06961

© 2023 Science X Network

Citation: Astronomers detect new pulsar wind nebula and its associated pulsar (2023, December 26) retrieved 27 July 2024 from https://phys.org/news/2023-12-astronomers-pulsar-nebula.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.