


Carbon in, carbon out: Australia's 'carbon budget' assessment reveals astonishing boom and bust cycles

December 20 2023, by Yohanna Villalobos, Benjamin Smith, Pep Canadell and Peter Briggs



Australia's Carbon Budget 2010-2019. A product of the National Environmental Science Program - Climate Systems Hub; and a contribution to the Global Carbon Project - Regional Carbon Cycle Assessment and Processes-2. Credit: NESP-2

If you really want to know how much Australia contributes to the amount of carbon dioxide (CO₂) in the atmosphere, you have to study all the "sources" and "sinks."

Sources release CO₂ into the atmosphere, while sinks take it out. There are sources from human activities, such as burning [fossil fuels](#), and there are natural sinks such as plants absorbing CO₂. You can tally it all up on a balance sheet to find the net result. Are we adding to CO₂ levels in the atmosphere, overall? And if so, by how much?

It's an enormous undertaking, but not impossible. We have just published the [most comprehensive assessment](#) of Australian CO₂ sources and sinks. It covers the decade from 2010 to 2019, and it reveals some surprising features.

Astonishingly, we found the net annual carbon balance of the entire continent switches from year to year. Australia can be a large net source of CO₂ one year and a large net CO₂ sink the next, in response to our increasingly variable climate. That makes it harder to detect long-term trends and understand whether our natural carbon sinks are growing or decreasing.

What is the contemporary carbon budget?

Our research reveals what we call the "contemporary carbon budget" for Australia.

This budget is different from the "[remaining carbon budget](#)," which refers to the CO₂ that can still be emitted before we exceed a certain level of warming.

We constructed the contemporary budget using a wide variety of data and modeling approaches. We needed to estimate the carbon "fluxes"

(sources and sinks) of land-based ecosystems, freshwater bodies, and of human activities such as the [combustion of fossil fuels](#) and changes in land clearing and revegetation.

Yearly emissions from Australia's use of fossil fuels, in million tonnes of CO₂

Bottom-up Australian carbon budget, 2010-2019




Chart: The Conversation • Source: Global Biogeochemical Cycles • Created with Datawrapper

Credit: The Conversation

We also used global assessments, [Australia's National Greenhouse Gas Inventory](#), and [trade statistics](#). And we used atmospheric and satellite CO₂ information to constrain the dynamics of the Australian carbon

balance, as well as other satellite-based data to estimate Australia's fire emissions.

We developed this carbon budget with the best available data and scientific tools. However, large uncertainties such as data gaps and model limitations remain for some of the estimates. We report all uncertainties in the [research paper](#).

Carbon in, carbon out

The biggest CO₂ source from Australia's human activities is fossil fuels, with an average of 403 million tons of CO₂ for the decade 2010–19. That can be broken down into coal (44%), oil (34%), gas (18%), gas flaring (3%) and cement (1%).

Emissions from wildfires (natural) and prescribed burning (human-caused) were 568 million tons of CO₂ a year which, unlike fossil fuels, are largely offset by subsequent vegetation regrowth. This led to a net CO₂ accumulation in the atmosphere of 36 million tons a year. CO₂ emissions from the Black Summer fires in 2019 were exceptionally high at 951 million tons, much of which has already returned to vegetation after three years of above-average rainfall.

Rivers, lakes and reservoirs—both natural and human-made—are also sources of CO₂, contributing 82 million tons.


Natural forests, savannas and the large expanses of rangelands all contributed to removing vast amounts of CO₂ from the atmosphere at a rate of more than 388 million tons a year.

Coastal ecosystems "blue carbon" such as mangroves, tidal marshes and seagrasses soaked up 61 million tons of CO₂ a year, further adding to Australia's CO₂ sinks. However, estuaries, including tidal systems, deltas

and lagoons, released 27 million tons of CO₂ into the atmosphere.

Yearly exported fossil fuel carbon, MT CO₂

Bottom-up Australian carbon budget, 2010-2019



Not shown: Petroleum products and LPG accounted for an additional 2.87 MT CO₂

Chart: The Conversation • Source: Global Biogeochemical Cycles • Created with Datawrapper

Credit: The Conversation

The oceans surrounding Australia are also strong CO₂ sinks, removing about 183 million tons of CO₂ a year. This highlights the important role of the oceans, in addition to the land sink, in slowing the buildup of atmospheric CO₂ due to human emissions.

Exported carbon

Every year, about 1 billion tons of CO₂ are exported in the form of fossil fuels, primarily coal and [natural gas](#).

A further 22 million tons of embedded CO₂ are exported every year in products such as wheat, wood pellets and livestock.

When these exported fossil fuels and products are consumed overseas, they release their carbon content into the atmosphere as CO₂.

However, the [UN Framework Convention on Climate Change](#) and rules supporting the [Paris Agreement](#) only require nations to report emissions released from their own territory. Emissions from exports are counted by the countries where the fossil fuels and products are eventually consumed.

The flip-flop carbon dynamics

We have long known about the "boom and bust" dynamics of Australia's vegetation growth as it responds to periods of above-average rainfall and drought.

But we never imagined the entire nation could flip-flop so quickly from being a very strong and globally significant CO₂ sink, as in the La Niña of 2010–11, to being a major source of CO₂. But that's precisely what happened as drought and fire changed the carbon accounts of Australia, during the southeast drought of 2018–19 and the following Black Summer fires in 2019.

What this tells us about the path to net zero

When we put all of the land-based CO₂ sources and sinks together, overall Australia was a net source to the atmosphere of 200 million tons of CO₂ a year during 2010–19. This drops to 140 million tons of CO₂ a year if we count the sinks from coastal ecosystems.

This means CO₂ sinks are partially offsetting fossil fuel emissions. This is something we have also estimated at the global scale, where [about one-third](#) of global fossil fuel emissions are removed by terrestrial land-based CO₂ sinks.

While this highlights the important role natural CO₂ sinks play in slowing climate change, it does not imply we have less work to do to reach the net zero emissions target.

That is because natural CO₂ sinks [are already accounted](#) for in estimates of the remaining carbon budgets and decarbonization pathways to stabilize the climate. Accordingly, the Paris Agreement calls for achieving a balance between anthropogenic emissions and removals by sinks of greenhouse gases, the so-called net zero target.

The large year-to-year variability of Australia's non-anthropogenic [carbon](#) dynamics also underscores the need for a comprehensive and long-term monitoring and modeling observatory system to track the evolution of sources and sinks. We need high quality data supplementing the National Greenhouse Accounts to support decisions around how to use Australia's natural assets to mitigate [climate change](#).

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Carbon in, carbon out: Australia's 'carbon budget' assessment reveals astonishing boom and bust cycles (2023, December 20) retrieved 28 April 2024 from <https://phys.org/news/2023-12-carbon-australia-reveals-astonishing-boom.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.