

Study provides insights into diets of early primates

December 18 2023



Skulls of 29 million year old primates used in this study Aegyptopithecus on left Parapithecus on right. Credit: Matt Borths

Turns out our love of sweet food goes back—way back—to our early primate ancestors, a University of Otago-led study has found.

The work sheds light on the dietary habits of early anthropoids, which includes fossil monkeys and apes, through analysis of tooth-chipping patterns and cavities.

Published in the *American Journal of Biological Anthropology*, the [study](#) used fossils from the Fayum Depression in Egypt, an invaluable source for understanding anthropoid evolution spanning from the late Eocene to the early Oligocene period, or 40 to 29 million-years-ago.

Dental chipping patterns in five types of [primates](#) were examined and compared with data from living primates.

Lead author Dr. Ian Towle of Otago's Sir John Walsh Research Institute in the Faculty of Dentistry says the researchers wanted to find out what made up the diet of early primates—hard or soft foods.

"Close attention was paid to the frequency, severity, and location of dental chips. We were also interested in the presence of dental caries, often linked to the consumption of soft fruits in modern primates," he says.

The group, which included Dr. Matthew R. Borths of the Duke Lemur Center Museum of Natural History at Duke University and Otago's Dr. Carolina Loch from the Faculty of Dentistry, found a remarkably low prevalence of tooth chipping with just 21 of the 421 teeth studied showing fractures.



View of a fossil quarry in the Fayum Depression in Egypt. Credit: Matt Borths

"Our findings indicate a predominant consumption of soft fruits among early anthropoids. The low prevalence of tooth chipping, particularly in comparison to modern anthropoids, hints at a preference for soft food sources, like ripe, sugary fruits," Dr. Towle says.

The study adds "substantial support" to the hypothesis of limited dietary diversity among early anthropoids, with diversification in monkey and ape diets coming later in their [evolutionary history](#).

"These insights into ancient primate diets provide crucial groundwork for understanding the evolutionary trajectories of our primate ancestors."

Dr. Borths highlights the importance of the Fayum Depression, saying these primates survived "huge climate changes" when the first glaciers formed in Antarctica.

"The Fayum fossil record captures the critical moment when our lineage adapted to this drier, cooler world, apparently fueling themselves with fruit."

Dr. Loch adds this study is "another example of the breadth and diversity of dental research at the University of Otago".

More information: Ian Towle et al, Tooth chipping patterns and dental caries suggest a soft fruit diet in early anthropoids, *American Journal of Biological Anthropology* (2023). [DOI: 10.1002/ajpa.24884](https://doi.org/10.1002/ajpa.24884)

Provided by University of Otago

Citation: Study provides insights into diets of early primates (2023, December 18) retrieved 28 April 2024 from <https://phys.org/news/2023-12-insights-diets-early-primates.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.