


Iron snow ebb and flow may cause magnetic fields to come and go

January 3 2024, by Nathaniel Scharping



Iron snow can occur when cooling near the core-mantle boundary causes iron crystals to form. These crystals grow, then sink into the hot core and melt. Credit: Image by Ludovic Huguet and map texture from NASA/Johns Hopkins University Applied Physics Laboratory/Carnegie Institution of Washington

Just as snow crystals form in the upper atmosphere, then fall to lower, warmer elevations and melt, scientists believe a phenomenon called iron snow happens in the molten iron cores of some planetary bodies. Cooling

near the core-mantle boundary creates crystals of iron, which melt as they fall deeper into the hot core. This movement may create magnetic fields in some smaller bodies like Mercury and Jupiter's moon Ganymede, but its dynamics are not well known.

In a first-of-its-kind experiment, Ludovic Huguet, and a research team, modeled iron snow in a lab using [water ice](#) and found distinct cycles of crystal formation and inactivity. Extrapolated to planetary bodies, the findings could mean planetary magnetic fields come and go periodically as their dynamos turn on and off.

The paper is [published](#) in the journal *Geophysical Research Letters*.

The researchers' simple experimental setup involved a tank of water cooled from below, with a layer of salt water at the bottom to prevent ice crystal adhesion. As the lower layers of freshwater cooled, they produced ice crystals, which floated upward and melted once they reached warmer water. This created an overturning current that, along with latent heat created by crystal formation, eventually warmed lower layers of water and halted ice crystal formation. When the water cooled sufficiently again, the process started over.

The researchers found that these "bursts" of crystal formation repeated about every 1,400 seconds in their experiments. This rate was controlled by heat diffusion in the cooling layer, with some variability likely because of the heterogeneity of crystal nucleation.

Their model indicated that planetary bodies with [molten iron](#) cores may go through similar bursts of iron snow formation that create internal fluid flows in the molten iron, driving a periodic dynamo that generates a planetary [magnetic field](#). Thus, magnetic fields may appear and disappear at semiregular intervals in these bodies.

Several questions about this process remain, the authors note, including what degree of supercooling is necessary for crystals to form, how iron snow particles move collectively, and how these movements affect large-scale flows within the core.

More information: Ludovic Huguet et al, A Laboratory Model for Iron Snow in Planetary Cores, *Geophysical Research Letters* (2023). [DOI: 10.1029/2023GL105697](https://doi.org/10.1029/2023GL105697)

This story is republished courtesy of Eos, hosted by the American Geophysical Union. Read the original story [here](#).

Provided by Eos

Citation: Iron snow ebb and flow may cause magnetic fields to come and go (2024, January 3) retrieved 27 April 2024 from <https://phys.org/news/2024-01-iron-ebb-magnetic-fields.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.