

A black hole discovery could force us to rethink how galaxies came to be

February 28 2024, by Robin Smith



Credit: NASA, ESA, Joseph Olmsted (STScI)

Peering deep into the infancy of the universe, the European Southern Observatory's Very Large Telescope (VLT) recently confirmed the discovery of <u>the brightest and fastest growing quasar</u>. Quasars are <u>luminous objects in the night sky</u> powered by gas falling into a large black hole at the center of a galaxy.

The discovery of this record-breaking object was fascinating enough.



But another crucial aspect to the announcement is that it raises big questions about galaxy formation in the early universe. In particular, it remains puzzling how this quasar, which existed less than two billion years after the Big Bang, could have grown so large so quickly. Probing this conundrum could even lead to a rethink of how galaxies came to be.

Black holes, the densest objects in the universe, are given this name because their gravitational pull is so incredibly strong that not even light can escape their grasp. How then, can a black hole be the origin of such an intense light source?

Well, in some galaxies, where the black hole is sufficiently large, matter is being drawn in at a ferociously high rate. As it spirals in, violent collisions between gases, dust, and stars result in the emission of huge amounts of light energy. The bigger the black hole, the more violent the collisions and the more light is emitted.

The quasar that was the subject of the latest study, known as J0529-4351, has a mass equivalent to 17 billion suns and is incredibly large. There is a spiraling disk of matter spanning a width of seven <u>light</u> years at the center of the galaxy and the black hole is growing by accreting (accumulating) this matter. The disk's width is comparable to the distance between Earth and <u>the next nearest star system, Alpha</u> <u>Centauri</u>.

Hiding in plain sight

The black hole is growing rapidly by consuming a record-breaking amount of mass, equivalent to one sun each day. This intense accretion of matter releases an amount of radiative energy that's equivalent to a quadrillion (thousand trillion) suns.

This raises the question of why an object so bright has only just been



identified in the night sky, despite decades of astronomical observations. It turns out that this sneaky quasar had been hiding in plain sight.

Despite its astonishing luminosity, J0529-4351 is very distant, meaning that it seamlessly blends in among a sea of dimmer stars that lie much closer to Earth. In fact, this quasar is so far away that the light it emits takes a whopping 12 billion years to reach us here on Earth.

The age of the universe is around 13.7 billion years. So this quasar existed just 1.7 billion years after the <u>Big Bang, at the beginning of the universe</u>.

The universe's expansion following the Big Bang is what permits us to measure the distance to, and therefore the age of, this quasar. A long-known simple <u>formula called Hubble's law</u>, states that knowing the velocity that an object is moving away from us allows us to calculate how far away it is.

The collisions that occur as matter spirals into this quasar's black hole raise it to scorching temperatures of 10,000°C. Under these conditions, the atoms in the system emit a characteristic spectrum of light.

These discrete frequencies of light form a sort of barcode that astronomers can use to identify the elemental compositions of objects in the night sky. As an object that's emitting light moves away from us, the frequency of that observed light undergoes a shift, much like how the sound frequency of an ambulance siren shifts depending on whether it is driving towards or away from you.

This shift seen in astronomical objects is <u>known as redshift</u>. This, along with Hubble's Law, has permitted both the age and the distance (both these properties are linked in cosmology) of J0529-4351 to be confirmed.



This bright beacon from the early universe has raised an important question that is baffling astronomers: how could this black hole, in such a relatively short period of time, grow so fast into such a massive object? Under well accepted models of the early universe, it should have taken longer for it to grow to this size.

What's more, by tuning the <u>artificial intelligence</u> (AI) models used to scan telescope data for these unusual objects, more could still be found in the coming years. If they resemble J0529-4351, physicists would need to seriously rethink their models of the <u>early universe</u> and galaxy formation.

The fastest-growing black hole ever observed will be the perfect target for a system <u>called Gravity+</u>, an upcoming upgrade to an instrument on the Very Large Telescope called an interferometer. This interferometer is an ingenious way of combining data from the four separate telescopes that actually make up the VLT.

Gravity+ is designed to accurately measure the <u>rotational speed</u> and mass of <u>black holes</u> directly, especially those that lie far away from the Earth.

Furthermore, <u>the European Southern Observatory's's Extremely Large</u> <u>Telescope</u>, a 39-meter diameter reflecting telescope, is currently under construction in the Chilean Atacama Desert. This is designed for detecting the optical and near-infrared wavelengths characteristic of distant quasars and will make identifying and characterizing such elusive objects even more likely in the future.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation



Citation: A black hole discovery could force us to rethink how galaxies came to be (2024, February 28) retrieved 23 June 2024 from <u>https://phys.org/news/2024-02-black-hole-discovery-rethink-galaxies.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.